

# PVC Gray Saddles & Hot-Tap Saddles

PRODUCT

**Schedule 80 PVC Product**  
**Glue-On Saddles**

**Glue-On Saddles**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Saddle



**IPS O.D. x Socket Schedule 80**

Non Pressure Rated

3963-528	6X2	1	6	400	70.24
3963-530	6X3	1	10	400	70.87
3963-532	6X4	1	8	400	71.48
3963-578	8X2	1	10	400	99.22
3963-580	8X3	1	10	400	100.43
3963-582	8X4	1	5	400	101.51
3963-585	8X6	1	5	400	103.87
3963-621	10X2	1	8	400	91.87
3963-623	10X3	1	5	400	93.17
3963-624	10X4	1	8	400	93.56
3963-626	10X6	1	5	400	108.80
3963-628	10X8	1	5	400	174.36
3963-661	12X2	1	10	400	108.55
3963-663	12X3	1	8	400	109.19
3963-664	12X4	1	10	400	110.11
3963-666	12X6	1	5	400	127.69
3963-668	12X8	1	2	400	200.94
3963-670	12X10	1	4	400	245.94
3963-693	14X3	1	8	400	134.93
3963-694	14X4	1	5	400	135.58
3963-696	14X6	1	8	400	154.33
3963-698	14X8	1	4	400	236.60
3963-700	14X10	1	3	400	302.98
3963-702	14X12	1	4	400	334.55
3963-751	16X2	1	10	400	140.77
3963-753	16X3	1	8	400	141.99
3963-754	16X4	1	10	400	142.79
3963-756	16X6	1	8	400	162.75
3963-758	16X8	1	3	400	242.69
3963-760	16X10	1	0	400	309.04
3963-762	16X12	1	0	400	343.23
3963-764	16X14	1	0	400	357.67
3963-781	18X2	1	10	400	206.80
3963-783	18X3	1	4	400	208.05
3963-784	18X4	1	5	400	209.00
3963-786	18X6	1	5	400	221.20
3963-788	18X8	1	5	400	325.01
3963-790	18X10	1	0	400	360.29
3963-792	18X12	1	0	400	513.84
3963-794	18X14	1	0	400	559.24
3963-796	18X16	1	0	400	731.78
3963-811	20X2	1	12	400	209.17
3963-813	20X3	1	4	400	209.65
3963-814	20X4	1	6	400	212.17
3963-816	20X6	1	0	400	222.56
3963-818	20X8	1	5	400	321.49

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Saddle (continued)

**IPS O.D. x Socket Schedule 80**

3963-820	20X10	1	0	400	356.54
3963-822	20X12	1	0	400	508.56
3963-824	20X14	1	0	400	554.65
3963-826	20X16	1	0	400	726.68
3963-828	20X18	1	0	400	825.11
3963-901	24X2	1	5	400	212.82
3963-903	24X3	1	5	400	213.95
3963-904	24X4	1	5	400	214.94
3963-906	24X6	1	5	400	224.27
3963-908	24X8	1	5	409	318.62
3963-910	24X10	1	5	400	358.07
3963-912	24X12	1	0	409	500.00
3963-914	24X14	1	0	400	552.71
3963-916	24X16	1	0	400	756.51
3963-918	24X18	1	0	400	853.08
3963-920	24X20	1	0	400	960.15

Stub Saddle



**IPS O.D. x Socket Schedule 80**

Non Pressure Rated

3965-528	6X2	1	8	400	75.54
3965-530	6X3	1	3	400	76.19
3965-532	6X4	1	10	400	76.87
3965-578	8X2	1	5	409	105.57
3965-580	8X3	1	4	400	107.99
3965-582	8X4	1	6	400	109.15
3965-585	8X6	1	4	400	111.71
3965-621	10X2	1	6	400	98.80
3965-623	10X3	1	6	409	99.14
3965-624	10X4	1	4	400	100.61
3965-626	10X6	1	4	400	116.98
3965-628	10X8	1	2	400	187.48
3965-661	12X2	1	4	400	116.71
3965-663	12X3	1	4	400	117.95
3965-664	12X4	1	2	400	118.39
3965-666	12X6	1	2	400	137.32
3965-668	12X8	1	2	400	216.06
3965-670	12X10	1	2	400	316.96
3965-691	14X2	1	6	400	143.76
3965-693	14X3	1	4	400	145.09
3965-694	14X4	1	5	400	145.77
3965-696	14X6	1	2	400	165.94
3965-700	14X10	1	0	400	325.80
3965-702	14X12	1	0	400	359.72
3965-751	16X2	1	5	400	151.36
3965-753	16X3	1	4	400	152.66
3965-754	16X4	1	3	400	153.53
3965-756	16X6	1	2	400	174.99
3965-758	16X8	1	3	400	260.98
3965-760	16X10	1	3	400	332.33

Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas

Schedule 80 PVC Product  
**Glue-On Saddles & Clamp-On Saddles**

**Glue-On Saddles**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
<b>Stub Saddle (continued)</b>					
<b>IPS O.D. x Socket Schedule 80</b>					
3965-762	16X12	1	0	400	369.06
3965-764	16X14	1	0	400	384.62
3965-781	18X2	1	2	400	222.35
3965-783	18X3	1	0	400	223.71
3965-784	18X4	1	0	400	224.72
3965-786	18X6	1	2	400	237.85
3965-788	18X8	1	0	400	349.46
3965-790	18X10	1	0	400	387.41
3965-792	18X12	1	0	400	552.51
3965-794	18X14	1	0	400	601.35
3965-796	18X16	1	0	400	786.86
3965-811	20X2	1	4	400	224.89
3965-813	20X3	1	2	400	225.42
3965-814	20X4	1	4	400	228.13
3965-816	20X6	1	0	400	239.31
3965-818	20X8	1	0	400	345.69
3965-820	20X10	1	0	400	383.37
3965-822	20X12	1	0	400	546.83
3965-824	20X14	1	0	400	596.39
3965-826	20X16	1	0	400	781.41
3965-828	20X18	1	0	400	887.22
3965-901	24X2	1	5	400	228.84
3965-903	24X3	1	2	400	230.05
3965-904	24X4	1	5	400	231.12
3965-906	24X6	1	3	400	241.18
3965-908	24X8	1	0	400	346.24
3965-910	24X10	1	0	400	385.03
3965-912	24X12	1	0	409	537.66
3965-914	24X14	1	0	400	594.32
3965-916	24X16	1	0	400	813.45
3965-918	24X18	1	0	400	917.28
3965-920	24X20	1	0	400	1032.41

**Clamp-On Saddles**

**Clamp-On Saddle x Socket Single Outlet PVC Gray**

**with FKM O-ring Seal & Zinc-Plated Hardware**



2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

866V-247	2X1/2	3/4	1	10	086	41.74
866V-248	2X3/4	7/8	1	10	086	41.74
866V-249	2X1	1-1/8	1	10	086	41.74
866V-250	2X1-1/4	1-1/2	1	10	086	41.74
866V-251	2X1-1/2	1-1/2	1	10	086	41.74
866V-291	2-1/2X1-1/2	1-3/4	1	10	086	57.81
866V-333 <sup>1</sup>	3X1/2	7/8	1	10	086	57.81
866V-334	3X3/4	7/8	1	10	086	57.81
866V-335	3X1	1-1/8	1	10	086	57.81

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
<b>Clamp-On Saddle x Socket Single Outlet PVC Gray (continued)</b>						
<b>with FKM O-ring Seal &amp; Zinc-Plated Hardware</b>						
866V-336 <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	57.81
866V-337 <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	57.81
866V-338	3X2	2-1/4	1	10	086	57.81
866V-415 <sup>1</sup>	4X1/2	1-1/8	1	10	086	69.29
866V-416 <sup>1</sup>	4X3/4	1-1/8	1	10	086	69.29
866V-417	4X1	1-1/8	1	8	086	69.29
866V-418 <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	69.29
866V-419	4X1-1/2	1-3/4	1	8	086	69.29
866V-420	4X2	2-1/4	1	8	086	69.29
866V-421 <sup>1</sup>	4X2-1/2	3	1	4	086	75.58
866V-422	4X3	3	1	4	086	82.25
866V-523 <sup>1</sup>	6X1/2	1-1/8	1	4	086	115.44
866V-524 <sup>1</sup>	6X3/4	1-1/8	1	4	086	115.44
866V-525	6X1	1-1/8	1	4	086	115.44
866V-526 <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	115.44
866V-527 <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	115.44
866V-528	6X2	2-1/4	1	4	086	115.44
866V-529 <sup>1</sup>	6X2-1/2	3	1	4	086	145.25
866V-530	6X3	3	1	4	086	151.22
866V-532	6X4	4	1	4	086	159.28
866V-573 <sup>1</sup>	8X1/2	4	1	0	086	247.43
866V-574 <sup>1</sup>	8X3/4	4	1	0	086	247.43
866V-575 <sup>1</sup>	8X1	4	1	0	086	247.43
866V-576 <sup>1</sup>	8X1-1/4	4	1	0	086	247.43
866V-577 <sup>1</sup>	8X1-1/2	4	1	0	086	247.43
866V-578	8 X 2	4	1	0	086	247.43
866V-579 <sup>1</sup>	8X2-1/2	4	1	0	086	259.57
866V-580 <sup>1</sup>	8X3	4	1	0	086	272.64
866V-582	8X4	4	1	0	086	289.01
866V-585	8X6	6	1	0	086	320.79
866V-624	10X4	4	1	0	086	381.62
866V-626	10X6	6	1	0	086	438.82
866V-664	12X4	4	1	0	086	478.58
866V-666	12X6	6	1	0	086	555.00

<sup>1</sup> Outlet-sized with Bushing

**Clamp-On Saddle x Socket Single Outlet PVC Gray**

**with FKM O-ring Seal & SS Hardware**



2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

866SV-247	2X1/2	3/4	1	10	086	71.14
866SV-248	2X3/4	7/8	1	10	086	71.14
866SV-249	2X1	1-1/8	1	10	086	71.14
866SV-250	2X1-1/4	1-1/2	1	10	086	71.14
866SV-251	2X1-1/2	1-1/2	1	10	086	71.14
866SV-291	2-1/2X1-1/2	1-3/4	1	10	086	95.35
866SV-333 <sup>1</sup>	3X1/2	7/8	1	10	086	95.35
866SV-334	3X3/4	7/8	1	10	086	95.35
866SV-335	3X1	1-1/8	1	10	086	95.35
866SV-336 <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	95.35
866SV-337 <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	95.35

## Schedule 80 PVC Product Clamp-On Saddles

### Clamp-On Saddles

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
<b>Clamp-On Saddle x Socket Single Outlet PVC Gray (continued) with FKM O-ring Seal &amp; SS Hardware</b>						
866SV-338	3X2	2-1/4	1	10	086	95.35
866SV-415 <sup>1</sup>	4X1/2	1-1/8	1	10	086	122.69
866SV-416 <sup>1</sup>	4X3/4	1-1/8	1	10	086	122.69
866SV-417	4X1	1-1/8	1	8	086	122.69
866SV-418 <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	122.69
866SV-419	4X1-1/2	1-3/4	1	8	086	122.69
866SV-420	4X2	2-1/4	1	8	086	122.69
866SV-421 <sup>1</sup>	4X2-1/2	3	1	4	086	127.56
866SV-422	4X3	3	1	4	086	134.13
866SV-523 <sup>1</sup>	6X1/2	1-1/8	1	4	086	181.80
866SV-524 <sup>1</sup>	6X3/4	1-1/8	1	4	086	181.80
866SV-525	6X1	1-1/8	1	4	086	181.80
866SV-526 <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	181.80
866SV-527 <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	181.80
866SV-528	6X2	2-1/4	1	4	086	181.80
866SV-529 <sup>1</sup>	6X2-1/2	3	1	4	086	188.86
866SV-530	6X3	3	1	4	086	195.22
866SV-532	6X4	4	1	4	086	201.87
866SV-573 <sup>1</sup>	8X1/2	4	1	0	086	331.99
866SV-574 <sup>1</sup>	8X3/4	4	1	0	086	331.99
866SV-575 <sup>1</sup>	8 X 1	4	1	0	086	331.99
866SV-576 <sup>1</sup>	8X1-1/4	4	1	0	086	331.99
866SV-577 <sup>1</sup>	8X1-1/2	4	1	0	086	331.99
866SV-578	8 X 2	4	1	0	086	331.99
866SV-579 <sup>1</sup>	8X2-1/2	4	1	0	086	365.15
866SV-580 <sup>1</sup>	8X3	4	1	0	086	383.40
866SV-582	8X4	4	1	0	086	406.43
866SV-585	8X6	6	1	0	086	451.11
866SV-624	10X4	4	1	0	086	536.96
866SV-626	10X6	6	1	0	086	617.32
866SV-664	12X4	4	1	0	086	672.83
866SV-666	12X6	6	1	0	086	780.56

<sup>1</sup> Outlet-sized with Bushing



### Clamp-On Saddle x Socket Single Outlet PVC Gray

**with EPDM O-ring Seal & Zinc-Plated Hardware**

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

866-247	2X1/2	3/4	1	10	086	39.79
866-248	2X3/4	7/8	1	10	086	39.79
866-249	2X1	1-1/8	1	10	086	39.79
866-250	2X1-1/4	1-1/2	1	10	086	39.79
866-251	2X1-1/2	1-1/2	1	10	086	39.79
866-291	2-1/2X1-1/2	1-3/4	1	10	086	53.12
866-333 <sup>1</sup>	3X1/2	7/8	1	10	086	53.12
866-334	3X3/4	7/8	1	10	086	53.12
866-335	3X1	1-1/8	1	10	086	53.12
866-336 <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	53.12

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
<b>Clamp-On Saddle x Socket Single Outlet PVC Gray (continued) with EPDM O-ring Seal &amp; Zinc-Plated Hardware</b>						
866-337 <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	53.12
866-338	3X2	2-1/4	1	10	086	53.12
866-415 <sup>1</sup>	4X1/2	1-1/8	1	10	086	64.56
866-416 <sup>1</sup>	4X3/4	1-1/8	1	10	086	64.56
866-417	4X1	1-1/8	1	10	086	64.56
866-418 <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	64.56
866-419	4X1-1/2	1-3/4	1	8	086	64.56
866-420	4X2	2-1/4	1	8	086	64.56
866-421 <sup>1</sup>	4X2-1/2	3	1	4	086	70.52
866-422	4X3	3	1	4	086	77.18
866-523 <sup>1</sup>	6X1/2	1-1/8	1	4	086	107.60
866-524 <sup>1</sup>	6X3/4	1-1/8	1	4	086	107.60
866-525	6X1	1-1/8	1	4	086	107.60
866-526 <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	107.60
866-527 <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	107.60
866-528	6X2	2-1/4	1	4	086	107.60
866-529 <sup>1</sup>	6X2-1/2	3	1	4	086	117.44
866-530	6X3	3	1	4	086	129.15
866-532	6X4	4	1	4	086	134.59
866-573 <sup>1</sup>	8X1/2	4	1	0	086	206.97
866-574 <sup>1</sup>	8X3/4	4	1	0	086	206.97
866-575 <sup>1</sup>	8X1	4	1	0	086	206.97
866-576 <sup>1</sup>	8X1-1/4	4	1	0	086	206.97
866-577 <sup>1</sup>	8X1-1/2	4	1	0	086	206.97
866-578	8 X 2	4	1	0	086	206.97
866-579 <sup>1</sup>	8X2-1/2	4	1	0	086	227.66
866-580 <sup>1</sup>	8X3	4	1	0	086	239.08
866-582	8X4	4	1	0	086	253.21
866-585	8X6	6	1	0	086	281.31
866-621 <sup>1</sup>	10X2	4	1	0	086	335.38
866-624	10X4	4	1	0	086	335.38
866-626	10X6	6	1	0	086	383.76
866-664	12X4	4	1	0	086	419.42
866-665 <sup>1</sup>	12X5	6	1	0	086	441.07
866-666	12X6	6	1	0	086	485.11

<sup>1</sup> Outlet-sized with Bushing

### Clamp-On Saddle x Socket Single Outlet PVC Gray

**with EPDM O-ring Seal & SS Hardware**

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

866S-247	2X1/2	3/4	1	10	086	63.74
866S-248	2X3/4	7/8	1	10	086	63.74
866S-249	2X1	1-1/8	1	10	086	63.74
866S-250	2X1-1/4	1-1/2	1	10	086	63.74
866S-251	2X1-1/2	1-1/2	1	10	086	63.74
866S-291	2-1/2X1-1/2	1-3/4	1	10	086	85.67
866S-333 <sup>1</sup>	3X1/2	7/8	1	10	086	85.67
866S-334	3X3/4	7/8	1	10	086	85.67
866S-335	3X1	1-1/8	1	10	086	85.67
866S-336 <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	85.67



Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas

**Schedule 80 PVC Product  
Clamp-On Saddles**

**Clamp-On Saddles**

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
<b>Clamp-On Saddle x Socket Single Outlet PVC Gray (continued) with EPDM O-ring Seal &amp; SS Hardware</b>						
866S-337 <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	85.67
866S-338	3X2	2-1/4	1	10	086	85.67
866S-415 <sup>1</sup>	4X1/2	1-1/8	1	10	086	110.29
866S-416 <sup>1</sup>	4X3/4	1-1/8	1	10	086	110.29
866S-417	4X1	1-1/8	1	8	086	110.29
866S-418 <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	110.29
866S-419	4X1-1/2	1-3/4	1	8	086	110.29
866S-420	4X2	2-1/4	1	8	086	110.29
866S-421 <sup>1</sup>	4X2-1/2	3	1	4	086	114.17
866S-422	4X3	3	1	4	086	120.92
866S-523 <sup>1</sup>	6X1/2	1-1/8	1	4	086	165.98
866S-524 <sup>1</sup>	6X3/4	1-1/8	1	4	086	165.98
866S-525	6X1	1-1/8	1	4	086	165.98
866S-526 <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	165.98
866S-527 <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	165.98
866S-528	6X2	2-1/4	1	4	086	165.98
866S-529 <sup>1</sup>	6X2-1/2	3	1	4	086	173.86
866S-530	6X3	3	1	4	086	179.79
866S-532	6X4	4	1	4	086	186.53
866S-573 <sup>1</sup>	8X1/2	4	1	0	086	311.93
866S-574 <sup>1</sup>	8X3/4	4	1	0	086	311.93
866S-575	8X1	4	1	0	086	311.93
866S-576 <sup>1</sup>	8X1-1/4	4	1	0	086	311.93
866S-577 <sup>1</sup>	8X1-1/2	4	1	0	086	311.93
866S-578	8 X 2	4	1	0	086	311.93
866S-579 <sup>1</sup>	8X2-1/2	4	1	0	086	343.19
866S-580 <sup>1</sup>	8X3	4	1	0	086	360.40
866S-582	8X4	4	1	0	086	380.34
866S-585	8X6	6	1	0	086	424.06
866S-624	10X4	4	1	0	086	504.77
866S-626	10X6	6	1	0	086	580.35
866S-664	12X4	4	1	0	086	632.72
866S-666	12X6	6	1	0	086	733.89

<sup>1</sup> Outlet-sized with Bushing



**Clamp-On Saddle x SR Thread Single Outlet  
PVC Gray**

**with FKM O-ring Seal & Zinc-Plated  
Hardware**

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

867V-247SR	2X1/2	3/4	1	10	086	46.68
867V-248SR	2X3/4	7/8	1	10	086	46.68
867V-249SR	2X1	1-1/8	1	10	086	46.68
867V-250SR	2X1-1/4	1-1/2	1	10	086	46.68
867V-251SR	2X1-1/2	1-1/2	1	10	086	46.68
867V-291SR	2-1/2X1-1/2	1-3/4	1	10	086	65.05
867V-333SR <sup>1</sup>	3X1/2	7/8	1	10	086	65.05
867V-334SR	3X3/4	7/8	1	10	086	65.05
867V-335SR	3X1	1-1/8	1	10	086	65.05

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
<b>Clamp-On Saddle x SR Thread Single Outlet PVC Gray (continued) with FKM O-ring Seal &amp; Zinc-Plated Hardware</b>						
867V-336SR <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	65.05
867V-337SR <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	65.05
867V-338SR	3X2	2-1/4	1	10	086	65.05
867V-415SR <sup>1</sup>	4X1/2	1-1/8	1	10	086	81.28
867V-416SR <sup>1</sup>	4X3/4	1-1/8	1	10	086	81.28
867V-417SR	4X1	1-1/8	1	8	086	81.28
867V-418SR <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	81.28
867V-419SR	4X1-1/2	1-3/4	1	8	086	81.28
867V-420SR	4X2	2-1/4	1	8	086	81.28
867V-421SR <sup>1</sup>	4X2-1/2	3	1	4	086	87.55
867V-422SR	4X3	3	1	4	086	92.66
867V-523SR <sup>1</sup>	6X1/2	1-1/8	1	4	086	135.48
867V-524SR <sup>1</sup>	6X3/4	1-1/8	1	4	086	135.48
867V-525SR	6X1	1-1/8	1	4	086	135.48
867V-526SR <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	135.48
867V-527SR <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	135.48
867V-528SR	6X2	2-1/4	1	4	086	135.48
867V-529SR <sup>1</sup>	6X2-1/2	3	1	4	086	173.71
867V-530SR	6X3	3	1	4	086	180.52
867V-532SR	6X4	4	1	4	086	188.33
867V-573SR <sup>1</sup>	8X1/2	4	1	0	086	273.07
867V-574SR <sup>1</sup>	8X3/4	4	1	0	086	273.07
867V-575SR <sup>1</sup>	8X1	4	1	0	086	273.07
867V-576SR <sup>1</sup>	8X1-1/4	4	1	0	086	273.07
867V-577SR <sup>1</sup>	8X1-1/2	4	1	0	086	273.07
867V-578SR <sup>1</sup>	8X2	4	1	0	086	273.07
867V-579SR <sup>1</sup>	8X2-1/2	4	1	0	086	300.31
867V-580SR <sup>1</sup>	8X3	4	1	0	086	315.38
867V-582SR	8X4	4	1	0	086	334.33
867V-585SR	8X6	4	1	0	086	372.12
867V-624SR	10X4	4	1	0	086	397.86
867V-626SR	10X6	6	1	0	086	457.45
867V-664SR	12X4	4	1	0	086	498.74
867V-666SR	12X6	6	1	0	086	578.45

<sup>1</sup> Outlet-sized with Bushing



**Clamp-On Saddle x SR Thread Single Outlet  
PVC Gray**

**with FKM O-ring Seal & SS Hardware**

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

867SV-245SR <sup>1</sup>	2X1/4	1-1/8	1	10	086	86.41
867SV-247SR	2X1/2	3/4	1	10	086	79.36
867SV-248SR	2X3/4	7/8	1	10	086	79.36
867SV-249SR	2X1	1-1/8	1	10	086	79.36
867SV-250SR	2X1-1/4	1-1/2	1	10	086	79.36
867SV-251SR	2X1-1/2	1-1/2	1	10	086	79.36
867SV-291SR	2-1/2X1-1/2	1-3/4	1	10	086	106.11
867SV-331SR <sup>1</sup>	3X1/4	1-1/8	1	10	086	106.11
867SV-333SR <sup>1</sup>	3X1/2	7/8	1	10	086	106.11
867SV-334SR	3X3/4	7/8	1	10	086	106.11

**Schedule 80 PVC Product  
Clamp-On Saddles**

**Clamp-On Saddles**

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
<b>Clamp-On Saddle x SR Thread Single Outlet PVC Gray (continued) with FKM O-ring Seal &amp; SS Hardware</b>						
867SV-335SR	3X1	1-1/8	1	10	086	106.11
867SV-336SR <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	106.11
867SV-337SR <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	106.11
867SV-338SR	3X2	2-1/4	1	10	086	106.11
867SV-413SR <sup>1</sup>	4X1/4	1-1/8	1	8	086	135.38
867SV-415SR <sup>1</sup>	4X1/2	1-1/8	1	10	086	133.97
867SV-416SR <sup>1</sup>	4X3/4	1-1/8	1	10	086	133.97
867SV-417SR	4X1	1-1/8	1	8	086	133.97
867SV-418SR <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	133.97
867SV-419SR	4X1-1/2	1-3/4	1	8	086	133.97
867SV-420SR	4X2	2-1/4	1	8	086	133.97
867SV-421SR <sup>1</sup>	4X2-1/2	3	1	4	086	138.41
867SV-422SR	4X3	3	1	4	086	145.47
867SV-521SR <sup>1</sup>	6X1/4	1-1/8	1	8	086	201.05
867SV-523SR <sup>1</sup>	6X1/2	1-1/8	1	4	086	196.78
867SV-524SR <sup>1</sup>	6X3/4	1-1/8	1	4	086	196.78
867SV-525SR	6X1	1-1/8	1	4	086	196.78
867SV-526SR <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	196.78
867SV-527SR <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	196.78
867SV-528SR	6X2	2-1/4	1	4	086	196.78
867SV-529SR <sup>1</sup>	6X2-1/2	3	1	4	086	213.19
867SV-530SR	6X3	3	1	4	086	223.01
867SV-532SR	6X4	4	1	4	086	230.89
867SV-571SR <sup>1</sup>	8X1/4	4	1	0	086	365.78
867SV-573SR <sup>1</sup>	8X1/2	4	1	0	086	351.64
867SV-574SR <sup>1</sup>	8X3/4	4	1	0	086	351.64
867SV-575SR <sup>1</sup>	8X1	4	1	0	086	351.64
867SV-576SR <sup>1</sup>	8X1-1/4	4	1	0	086	351.64
867SV-577SR <sup>1</sup>	8X1-1/2	4	1	0	086	351.64
867SV-578SR <sup>1</sup>	8X2	4	1	0	086	351.64
867SV-579SR <sup>1</sup>	8X2-1/2	4	1	0	086	386.79
867SV-580SR <sup>1</sup>	8X3	4	1	0	086	406.14
867SV-582SR	8X4	4	1	0	086	430.52
867SV-585SR	8X6	6	1	0	086	471.78
867SV-624SR	10X4	4	1	0	086	512.13
867SV-626SR	10X6	6	1	0	086	589.25
867SV-664SR	12X4	4	1	0	086	642.24
867SV-666SR	12X6	6	1	0	086	744.88

<sup>1</sup> Outlet-sized with Bushing



**Clamp-On Saddle x SR Thread Single Outlet  
PVC Gray**

**with EPDM O-ring Seal & Zinc-Plated  
Hardware**

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

867-247SR	2X1/2	3/4	1	10	086	41.51
867-248SR	2X3/4	7/8	1	10	086	41.51
867-249SR	2X1	1-1/8	1	10	086	41.51

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
<b>Clamp-On Saddle x SR Thread Single Outlet PVC Gray (continued) with EPDM O-ring Seal &amp; Zinc-Plated Hardware</b>						
867-250SR	2X1-1/4	1-1/2	1	10	086	41.51
867-251SR	2X1-1/2	1-1/2	1	10	086	41.51
867-291SR	2-1/2X1-1/2	1-3/4	1	10	086	56.72
867-333SR <sup>1</sup>	3X1/2	7/8	1	10	086	56.72
867-334SR	3X3/4	7/8	1	10	086	56.72
867-335SR	3X1	1-1/8	1	10	086	56.72
867-336SR <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	56.72
867-337SR <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	56.72
867-338SR	3X2	2-1/4	1	10	086	56.72
867-415SR <sup>1</sup>	4X1/2	1-1/8	1	10	086	71.45
867-416SR <sup>1</sup>	4X3/4	1-1/8	1	10	086	71.45
867-417SR	4X1	1-1/8	1	8	086	71.45
867-418SR <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	71.45
867-419SR <sup>1</sup>	4X1-1/2	1-3/4	1	8	086	71.45
867-420SR	4X2	2-1/4	1	8	086	71.45
867-421SR <sup>1</sup>	4X2-1/2	3	1	4	086	73.15
867-422SR	4X3	3	1	4	086	83.82
867-523SR <sup>1</sup>	6X1/2	1-1/8	1	4	086	119.07
867-524SR <sup>1</sup>	6X3/4	1-1/8	1	4	086	119.07
867-525SR	6X1	1-1/8	1	4	086	119.07
867-526SR <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	119.07
867-527SR <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	119.07
867-528SR	6X2	2-1/4	1	4	086	119.07
867-529SR <sup>1</sup>	6X2-1/2	3	1	4	086	147.92
867-530SR	6X3	3	1	4	086	159.25
867-532SR	6X4	4	1	4	086	166.75
867-573SR	8X1/2	4	1	0	086	252.03
867-574SR <sup>1</sup>	8X3/4	4	1	0	086	252.03
867-575SR	8X1	4	1	0	086	252.03
867-576SR <sup>1</sup>	8X1-1/4	4	1	0	086	252.03
867-577SR <sup>1</sup>	8X1-1/2	4	1	0	086	252.03
867-578SR <sup>1</sup>	8X2	4	1	0	086	252.03
867-579SR <sup>1</sup>	8X2-1/2	4	1	0	086	277.28
867-580SR <sup>1</sup>	8X3	4	1	0	086	291.02
867-582SR	8X4	4	1	0	086	308.57
867-585SR	8X6	6	1	0	086	355.37
867-624SR	10X4	4	1	0	086	367.06
867-626SR	10X6	4	1	0	086	422.16
867-664SR	12X4	4	1	0	086	459.97
867-666SR	12X6	6	1	0	086	533.88

<sup>1</sup> Outlet-sized with Bushing



**Clamp-On Saddle x SR Thread Single Outlet  
PVC Gray**

**with EPDM O-ring Seal & SS Hardware**

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

867S-245SR <sup>1</sup>	2X1/4	1-1/8	1	10	086	79.36
867S-247SR	2X1/2	3/4	1	10	086	70.93
867S-248SR	2X3/4	7/8	1	10	086	70.93
867S-249SR	2X1	1-1/8	1	10	086	70.93

## Schedule 80 PVC Product Clamp-On Saddles

### Clamp-On Saddles

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

**Clamp-On Saddle x SR Thread Single Outlet PVC Gray (continued)  
with EPDM O-ring Seal & SS Hardware**

867S-250SR	2X1-1/4	1-1/2	1	10	086	70.93
867S-251SR	2X1-1/2	1-1/2	1	10	086	70.93
867S-291SR	2-1/2X1-1/2	1-3/4	1	10	086	95.36
867S-331SR <sup>1</sup>	3X1/4	1-1/8	1	10	086	105.48
867S-333SR <sup>1</sup>	3X1/2	7/8	1	10	086	95.36
867S-334SR	3X3/4	7/8	1	10	086	95.36
867S-335SR	3X1	1-1/8	1	10	086	95.36
867S-336SR <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	95.36
867S-337SR <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	95.36
867S-338SR	3X2	2-1/4	1	10	086	95.36
867S-413SR	4X1/4		1	8	086	124.12
867S-415SR <sup>1</sup>	4X1/2	1-1/8	1	10	086	120.06
867S-416SR <sup>1</sup>	4X3/4	1-1/8	1	10	086	120.06
867S-417SR	4X1	1-1/8	1	8	086	120.06
867S-418SR <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	120.06
867S-419SR	4X1-1/2	1-3/4	1	8	086	120.06
867S-420SR	4X2	2-1/4	1	8	086	120.06
867S-421SR <sup>1</sup>	4X2-1/2	3	1	4	086	125.66
867S-422SR	4X3	3	1	4	086	135.44
867S-521SR <sup>1</sup>	6X1/4	1-1/8	1	8	086	190.44
867S-523SR <sup>1</sup>	6X1/2	1-1/8	1	4	086	173.56
867S-524SR <sup>1</sup>	6X3/4	1-1/8	1	4	086	173.56
867S-525SR	6X1	1-1/8	1	4	086	173.56
867S-526SR <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	173.56
867S-527SR <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	173.56
867S-528SR	6X2	2-1/4	1	4	086	173.56
867S-529SR <sup>1</sup>	6X2-1/2	3	1	4	086	198.13
867S-530SR	6X3	3	1	4	086	204.57
867S-532SR	6X4	4	1	4	086	213.06
867S-571SR <sup>1</sup>	8X1/4	4	1	0	086	376.03
867S-573SR <sup>1</sup>	8X1/2	4	1	0	086	321.84
867S-574SR <sup>1</sup>	8X3/4	4	1	0	086	321.84
867S-575SR <sup>1</sup>	8X1	4	1	0	086	321.84
867S-576SR <sup>1</sup>	8X1-1/4	4	1	0	086	321.84
867S-577SR <sup>1</sup>	8X1-1/2	4	1	0	086	321.84
867S-578SR <sup>1</sup>	8X2	4	1	0	086	321.84
867S-579SR <sup>1</sup>	8X2-1/2	4	1	0	086	359.02
867S-580SR <sup>1</sup>	8X3	4	1	0	086	379.42
867S-582SR	8X4	4	1	0	086	400.84
867S-585SR	8X6	6	1	0	086	420.81
867S-624SR	10X4	4	1	0	086	494.12
867S-626SR	10X6	6	1	0	086	519.53
867S-664SR	12X4	4	1	0	086	566.41
867S-666SR	12X6	6	1	0	086	657.02

<sup>1</sup> Outlet-sized with Bushing

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

**Clamp-On Saddle x Socket Double Outlet PVC Gray**

**with FKM O-ring Seal & Zinc-Plated Hardware**



2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

868V-247	2X1/2	3/4	1	10	086	51.73
868V-248	2X3/4	7/8	1	10	086	51.73
868V-249	2X1	1-1/8	1	10	086	51.73
868V-250	2X1-1/4	1-1/2	1	10	086	51.73
868V-251	2X1-1/2	1-1/2	1	10	086	51.73
868V-291	2-1/2X1-1/2	1-3/4	1	10	086	66.26
868V-333 <sup>1</sup>	3X1/2	7/8	1	10	086	66.26
868V-334	3X3/4	7/8	1	10	086	66.26
868V-335	3X1	1-1/8	1	10	086	66.26
868V-336 <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	66.26
868V-337 <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	66.26
868V-338	3X2	2-1/4	1	10	086	66.26
868V-415 <sup>1</sup>	4X1/2	1-1/8	1	10	086	88.45
868V-416 <sup>1</sup>	4X3/4	1-1/8	1	10	086	88.45
868V-417	4X1	1-1/8	1	8	086	88.45
868V-418 <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	88.45
868V-419	4X1-1/2	1-3/4	1	8	086	88.45
868V-420	4X2	2-1/4	1	8	086	88.45
868V-421 <sup>1</sup>	4X2-1/2	3	1	4	086	96.16
868V-422	4X3	3	1	4	086	103.65
868V-523 <sup>1</sup>	6X1/2	1-1/8	1	4	086	145.23
868V-524 <sup>1</sup>	6X3/4	1-1/8	1	4	086	145.23
868V-525	6X1	1-1/8	1	4	086	145.23
868V-526 <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	145.23
868V-527 <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	145.23
868V-528	6X2	2-1/4	1	4	086	145.23
868V-529 <sup>1</sup>	6X2-1/2	3	1	4	086	150.78
868V-530	6X3	3	1	4	086	159.04
868V-532	6X4	4	1	4	086	169.98
868V-573 <sup>1</sup>	8X1/2	4	1	0	086	305.40
868V-574 <sup>1</sup>	8X3/4	4	1	0	086	305.40
868V-575 <sup>1</sup>	8X1	4	1	0	086	305.40
868V-576 <sup>1</sup>	8X1-1/4	4	1	0	086	305.40
868V-577 <sup>1</sup>	8X1-1/2	4	1	0	086	305.40
868V-578 <sup>1</sup>	8X2	4	1	0	086	305.40
868V-579 <sup>1</sup>	8X2-1/2	4	1	0	086	320.37
868V-580 <sup>1</sup>	8X3	4	1	0	086	336.63
868V-582	8X4	4	1	0	086	356.72
868V-585	8X6	6	1	0	086	395.97
868V-624	10X4	4	1	0	086	471.27
868V-626	10X6	6	1	0	086	497.33
868V-664	12X4	4	1	0	086	590.73
868V-666	12X6	6	1	0	086	685.11

<sup>1</sup> Outlet-sized with Bushing

**Schedule 80 PVC Product  
Clamp-On Saddles**

**Clamp-On Saddles**

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

Clamp-On Saddle x Socket Double Outlet PVC Gray

with FKM O-ring Seal & SS Hardware

2" - 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

868SV-247	2X1/2	3/4	1	10	086	83.19
868SV-248	2X3/4	7/8	1	10	086	83.19
868SV-249	2X1	1-1/8	1	10	086	83.19
868SV-250	2X1-1/4	1-1/2	1	10	086	83.19
868SV-251	2X1-1/2	1-1/2	1	10	086	83.19
868SV-291	2-1/2X1-1/2	1-3/4	1	10	086	110.55
868SV-333 <sup>1</sup>	3X1/2	7/8	1	10	086	110.55
868SV-334	3X3/4	7/8	1	10	086	110.55
868SV-335	3X1	1-1/8	1	10	086	110.55
868SV-336 <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	110.55
868SV-337 <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	110.55
868SV-338	3X2	2-1/4	1	10	086	110.55
868SV-415 <sup>1</sup>	4X1/2	1-1/8	1	10	086	141.55
868SV-416 <sup>1</sup>	4X3/4	1-1/8	1	10	086	141.55
868SV-417	4X1	1-1/8	1	8	086	141.55
868SV-418 <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	141.55
868SV-419	4X1-1/2	1-3/4	1	8	086	141.55
868SV-420	4X2	2-1/4	1	16	086	141.55
868SV-421 <sup>1</sup>	4X2-1/2	3	1	4	086	152.00
868SV-422	4X3	3	1	4	086	158.31
868SV-523 <sup>1</sup>	6X1/2	1-1/8	1	4	086	219.27
868SV-524 <sup>1</sup>	6X3/4	1-1/8	1	4	086	219.27
868SV-525	6X1	1-1/8	1	4	086	219.27
868SV-526 <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	219.27
868SV-527 <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	219.27
868SV-528	6X2	2-1/4	1	4	086	219.27
868SV-529 <sup>1</sup>	6X2-1/2	3	1	4	086	232.42
868SV-530	6X3	3	1	4	086	238.87
868SV-532	6X4	4	1	4	086	245.82
868SV-573 <sup>1</sup>	8X1/2	4	1	0	086	409.92
868SV-574 <sup>1</sup>	8X3/4	4	1	0	086	409.92
868SV-575 <sup>1</sup>	8X1	4	1	0	086	409.92
868SV-576 <sup>1</sup>	8X1-1/4	4	1	0	086	409.92
868SV-577 <sup>1</sup>	8X1-1/2	4	1	0	086	409.92
868SV-578 <sup>1</sup>	8X2	4	1	0	086	409.92
868SV-579 <sup>1</sup>	8X2-1/2	4	1	0	086	450.91
868SV-580 <sup>1</sup>	8X3	4	1	0	086	473.40
868SV-582	8X4	4	1	0	086	475.71
868SV-585	8X6	6	1	0	086	556.91
868SV-624	10X4	4	1	0	086	662.73
868SV-626	10X6	6	1	0	086	762.18
868SV-664	12X4	4	1	0	086	830.73
868SV-666	12X6	6	1	0	086	963.67

<sup>1</sup> Outlet-sized with Bushing



Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

Clamp-On Saddle x Socket Double Outlet PVC Gray

with EPDM O-ring Seal & Zinc-Plated Hardware

2" - 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

868-247	2X1/2	3/4	1	10	086	47.35
868-248	2X3/4	7/8	1	10	086	47.35
868-249	2X1	1-1/8	1	10	086	47.35
868-250	2X1-1/4	1-1/2	1	10	086	47.35
868-251	2X1-1/2	1-1/2	1	10	086	47.35
868-291	2-1/2X1-1/2	1-3/4	1	10	086	65.06
868-333 <sup>1</sup>	3X1/2	7/8	1	10	086	65.06
868-334	3X3/4	7/8	1	10	086	65.06
868-335	3X1	1-1/8	1	10	086	65.06
868-336 <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	65.06
868-337 <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	65.06
868-338	3X2	2-1/4	1	10	086	65.06
868-415 <sup>1</sup>	4X1/2	1-1/8	1	10	086	82.07
868-416 <sup>1</sup>	4X3/4	1-1/8	1	10	086	82.07
868-417	4X1	1-1/8	1	8	086	82.07
868-418 <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	82.07
868-419	4X1-1/2	1-3/4	1	8	086	82.07
868-420	4X2	2-1/4	1	8	086	82.07
868-421 <sup>1</sup>	4X2-1/2	3	1	4	086	88.15
868-422	4X3	3	1	4	086	93.27
868-523 <sup>1</sup>	6X1/2	1-1/8	1	4	086	137.11
868-524 <sup>1</sup>	6X3/4	1-1/8	1	4	086	137.11
868-525	6X1	1-1/8	1	4	086	137.11
868-526 <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	137.11
868-527 <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	137.11
868-528	6X2	2-1/4	1	4	086	137.11
868-529 <sup>1</sup>	6X2-1/2	3	1	4	086	144.89
868-530	6X3	3	1	4	086	153.13
868-532	6X4	4	1	4	086	159.27
868-573 <sup>1</sup>	8X1/2	4	1	0	086	256.39
868-574 <sup>1</sup>	8X3/4	4	1	0	086	256.39
868-575 <sup>1</sup>	8X1	4	1	0	086	256.39
868-576 <sup>1</sup>	8X1-1/4	4	1	0	086	256.39
868-577 <sup>1</sup>	8X1-1/2	4	1	0	086	256.39
868-578 <sup>1</sup>	8X2	4	1	0	086	256.39
868-579 <sup>1</sup>	8X2-1/2	4	1	0	086	281.09
868-580 <sup>1</sup>	8X3	4	1	0	086	295.03
868-582	8X4	4	1	0	086	312.55
868-585	8X6	6	1	0	086	347.19
868-624	10X4	4	1	0	086	413.08
868-626	10X6	6	1	0	086	475.18
868-664	12X4	4	1	0	086	517.83
868-666	12X6	6	1	0	086	600.63

<sup>1</sup> Outlet-sized with Bushing





**Schedule 80 PVC Product**  
**Clamp-On Saddles**

**Clamp-On Saddles**

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

Clamp-On Saddle x Socket Double Outlet PVC Gray

with EPDM O-ring Seal & SS Hardware

2" - 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

868S-247	2X1/2	3/4	1	10	086	72.17
868S-248	2X3/4	7/8	1	10	086	72.17
868S-249	2X1	1-1/8	1	10	086	72.17
868S-250	2X1-1/4	1-1/2	1	10	086	72.17
868S-251	2X1-1/2	1-1/2	1	10	086	72.17
868S-291	2-1/2X1-1/2	1-3/4	1	10	086	96.99
868S-333 <sup>1</sup>	3X1/2	7/8	1	10	086	96.99
868S-334	3X3/4	7/8	1	10	086	96.99
868S-335	3X1	1-1/8	1	10	086	96.99
868S-336 <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	96.99
868S-337 <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	96.99
868S-338	3X2	2-1/4	1	10	086	96.99
868S-415 <sup>1</sup>	4X1/2	1-1/8	1	10	086	124.88
868S-416 <sup>1</sup>	4X3/4	1-1/8	1	10	086	124.88
868S-417	4X1	1-1/8	1	8	086	124.88
868S-418 <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	124.88
868S-419	4X1-1/2	1-3/4	1	8	086	124.88
868S-420	4X2	2-1/4	1	8	086	124.88
868S-421 <sup>1</sup>	4X2-1/2	3	1	4	086	135.53
868S-422	4X3	3	1	4	086	139.16
868S-523 <sup>1</sup>	6X1/2	1-1/8	1	4	086	208.13
868S-524 <sup>1</sup>	6X3/4	1-1/8	1	4	086	208.13
868S-525	6X1	1-1/8	1	4	086	208.13
868S-526 <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	208.13
868S-527 <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	208.13
868S-528	6X2	2-1/4	1	4	086	208.13
868S-529 <sup>1</sup>	6X2-1/2	3	1	4	086	215.17
868S-530	6X3	3	1	4	086	223.92
868S-532	6X4	4	1	4	086	232.83
868S-573 <sup>1</sup>	8X1/2	4	1	0	086	384.99
868S-574 <sup>1</sup>	8X3/4	4	1	0	086	384.99
868S-575 <sup>1</sup>	8X1	4	1	0	086	384.99
868S-576 <sup>1</sup>	8X1-1/4	4	1	0	086	384.99
868S-577 <sup>1</sup>	8X1-1/2	4	1	0	086	384.99
868S-578 <sup>1</sup>	8X2	4	1	0	086	384.99
868S-579 <sup>1</sup>	8X2-1/2	4	1	0	086	423.65
868S-580 <sup>1</sup>	8X3	4	1	0	086	444.98
868S-582	8X4	4	1	0	086	469.49
868S-585	8X6	6	1	0	086	560.01
868S-624	10X4	4	1	0	086	623.02
868S-626	10X6	6	1	0	086	716.46
868S-664	12X4	4	1	0	086	781.00
868S-666	12X6	6	1	0	086	905.80

<sup>1</sup> Outlet-sized with Bushing



Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

Clamp-On Saddle x SR Thread Double Outlet PVC Gray

with FKM O-ring Seal & Zinc-Plated Hardware

2" - 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

869V-247SR	2X1/2	3/4	1	10	086	57.56
869V-248SR	2X3/4	7/8	1	10	086	57.56
869V-249SR	2X1	1-1/8	1	10	086	57.56
869V-250SR	2X1-1/4	1-1/2	1	10	086	57.56
869V-251SR	2X1-1/2	1-1/2	1	10	086	57.56
869V-291SR	2-1/2X1-1/2	1-3/4	1	10	086	79.13
869V-333SR <sup>1</sup>	3X1/2	7/8	1	10	086	79.13
869V-334SR	3X3/4	7/8	1	10	086	79.13
869V-335SR	3X1	1-1/8	1	10	086	79.13
869V-336SR <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	79.13
869V-337SR <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	79.13
869V-338SR	3X2	2-1/4	1	10	086	79.13
869V-415SR <sup>1</sup>	4X1/2	1-1/8	1	10	086	98.26
869V-416SR <sup>1</sup>	4X3/4	1-1/8	1	10	086	98.26
869V-417SR	4X1	1-1/8	1	8	086	98.26
869V-418SR <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	98.26
869V-419SR	4X1-1/2	1-3/4	1	8	086	98.26
869V-420SR	4X2	2-1/4	1	8	086	98.26
869V-421SR <sup>1</sup>	4X2-1/2	3	1	4	086	105.64
869V-422SR	4X3	3	1	4	086	111.61
869V-523SR <sup>1</sup>	6X1/2	1-1/8	1	4	086	166.43
869V-524SR <sup>1</sup>	6X3/4	1-1/8	1	4	086	166.43
869V-525SR	6X1	1-1/8	1	4	086	166.43
869V-526SR <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	166.43
869V-527SR <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	166.43
869V-528SR	6X2	2-1/4	1	4	086	166.43
869V-529SR <sup>1</sup>	6X2-1/2	3	1	4	086	201.04
869V-530SR	6X3	3	1	4	086	212.46
869V-532SR	6X4	4	1	4	086	223.18
869V-573SR <sup>1</sup>	8X1/2	4	1	0	086	337.05
869V-574SR <sup>1</sup>	8X3/4	4	1	0	086	337.05
869V-575SR <sup>1</sup>	8X1	4	1	0	086	337.05
869V-576SR <sup>1</sup>	8X1-1/4	4	1	0	086	337.05
869V-577SR <sup>1</sup>	8X1-1/2	4	1	0	086	337.05
869V-578SR <sup>1</sup>	8X2	4	1	0	086	337.05
869V-579SR <sup>1</sup>	8X2-1/2	4	1	0	086	370.85
869V-580SR <sup>1</sup>	8X3	4	1	0	086	389.43
869V-582SR	8X4	4	1	0	086	412.87
869V-585SR	8X6	6	1	0	086	480.60
869V-624SR	10X4	4	1	0	086	491.24
869V-626SR	10X6	6	1	0	086	564.92
869V-664SR	12X4	4	1	0	086	615.81
869V-666SR	12X6	6	1	0	086	716.56

<sup>1</sup> Outlet-sized with Bushing



## Schedule 80 PVC Product Clamp-On Saddles

### Clamp-On Saddles

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

Clamp-On Saddle x SR Thread Double Outlet  
PVC Gray

with FKM O-ring Seal & SS Hardware

2" - 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

869SV-247SR	2X1/2	3/4	1	10	086	92.55
869SV-248SR	2X3/4	7/8	1	10	086	92.55
869SV-249SR	2X1	1-1/8	1	10	086	92.55
869SV-250SR	2X1-1/4	1-1/2	1	10	086	92.55
869SV-251SR	2X1-1/2	1-1/2	1	10	086	92.55
869SV-291SR	2-1/2X1-1/2	1-3/4	1	10	086	122.76
869SV-333SR <sup>1</sup>	3X1/2	7/8	1	10	086	122.76
869SV-335SR	3X1	1-1/8	1	10	086	122.76
869SV-334SR	3X3/4	7/8	1	10	086	122.76
869SV-336SR <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	122.76
869SV-337SR <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	122.76
869SV-338SR	3X2	2-1/4	1	10	086	122.76
869SV-415SR <sup>1</sup>	4X1/2	1-1/8	1	10	086	154.36
869SV-416SR <sup>1</sup>	4X3/4	1-1/8	1	10	086	154.36
869SV-417SR	4X1	1-1/8	1	8	086	154.36
869SV-418SR <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	154.36
869SV-419SR	4X1-1/2	1-3/4	1	8	086	154.36
869SV-420SR	4X2	2-1/4	1	8	086	154.36
869SV-421SR <sup>1</sup>	4X2-1/2	3	1	4	086	162.56
869SV-422SR	4X3	3	1	4	086	170.85
869SV-523SR <sup>1</sup>	6X1/2	1-1/8	1	4	086	257.14
869SV-524SR <sup>1</sup>	6X3/4	1-1/8	1	4	086	257.14
869SV-525SR	6X1	1-1/8	1	4	086	257.14
869SV-526SR <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	257.14
869SV-527SR <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	257.14
869SV-528SR	6X2	2-1/4	1	4	086	257.14
869SV-529SR <sup>1</sup>	6X2-1/2	3	1	4	086	275.32
869SV-530SR	6X3	3	1	4	086	292.84
869SV-532SR	6X4	4	1	4	086	300.46
869SV-573SR <sup>1</sup>	8X1/2	4	1	0	086	434.19
869SV-574SR <sup>1</sup>	8X3/4	4	1	0	086	434.19
869SV-575SR <sup>1</sup>	8X1	4	1	0	086	434.19
869SV-576SR <sup>1</sup>	8X1-1/4	4	1	0	086	434.19
869SV-577SR <sup>1</sup>	8X1-1/2	4	1	0	086	434.19
869SV-578SR <sup>1</sup>	8X2	4	1	0	086	434.19
869SV-579SR <sup>1</sup>	8X2-1/2	4	1	0	086	477.51
869SV-580SR <sup>1</sup>	8X3	4	1	0	086	501.36
869SV-582SR	8X4	4	1	0	086	531.58
869SV-585SR	8X6	6	1	0	086	580.45
869SV-624SR	10X4	4	1	0	086	632.52
869SV-626SR	10X6	4	1	0	086	727.44
869SV-664SR	12X4	4	1	0	086	792.81
869SV-666SR	12X6	6	1	0	086	919.75

<sup>1</sup> Outlet-sized with Bushing

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

Clamp-On Saddle x SR Thread Double Outlet  
PVC Gray

with EPDM O-ring Seal & Zinc-Plated  
Hardware

2" - 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

869-247SR	2X1/2	3/4	1	10	086	51.57
869-248SR	2X3/4	7/8	1	10	086	51.57
869-249SR	2X1	1-1/8	1	10	086	51.57
869-250SR	2X1-1/4	1-1/2	1	10	086	51.57
869-251SR	2X1-1/2	1-1/2	1	10	086	51.57
869-291SR	2-1/2X1-1/2	1-3/4	1	10	086	69.44
869-333SR <sup>1</sup>	3X1/2	7/8	1	10	086	69.44
869-334SR	3X3/4	7/8	1	10	086	69.44
869-335SR	3X1	1-1/8	1	10	086	69.44
869-336SR <sup>1</sup>	3X1-1/4	1-1/8	1	10	086	69.44
869-337SR <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	69.44
869-338SR	3X2	2-1/4	1	10	086	69.44
869-415SR <sup>1</sup>	4X1/2	1-1/8	1	10	086	86.82
869-416SR <sup>1</sup>	4X3/4	1-1/8	1	10	086	86.82
869-417SR	4X1	1-1/8	1	8	086	86.82
869-418SR <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	86.82
869-419SR	4X1-1/2	1-3/4	1	8	086	86.82
869-420SR	4X2	2-1/4	1	8	086	86.82
869-421SR <sup>1</sup>	4X2-1/2	3	1	4	086	94.95
869-422SR	4X3	3	1	4	086	100.79
869-523SR <sup>1</sup>	6X1/2	1-1/8	1	4	086	144.68
869-524SR <sup>1</sup>	6X3/4	1-1/8	1	4	086	144.68
869-525SR	6X1	1-1/8	1	4	086	144.68
869-526SR <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	144.68
869-527SR <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	144.68
869-528SR	6X2	2-1/4	1	4	086	144.68
869-529SR <sup>1</sup>	6X2-1/2	3	1	4	086	179.44
869-530SR	6X3	3	1	4	086	190.04
869-532SR	6X4	4	1	4	086	211.76
869-573SR <sup>1</sup>	8X1/2	4	1	0	086	311.09
869-574SR <sup>1</sup>	8X3/4	4	1	0	086	311.09
869-575SR <sup>1</sup>	8X1	4	1	0	086	311.09
869-576SR <sup>1</sup>	8X1-1/4	4	1	0	086	311.09
869-577SR <sup>1</sup>	8X1-1/2	4	1	0	086	311.09
869-578SR <sup>1</sup>	8X2	4	1	0	086	311.09
869-579SR <sup>1</sup>	8X2-1/2	4	1	0	086	342.35
869-580SR <sup>1</sup>	8X3	4	1	0	086	359.02
869-582SR	8X4	4	1	0	086	380.77
869-585SR	8X6	6	1	0	086	430.17
869-624SR	10X4	4	1	0	086	452.99
869-626SR	10X6	6	1	0	086	521.02
869-664SR	12X4	4	1	0	086	568.12
869-666SR	12X6	6	1	0	086	658.94

<sup>1</sup> Outlet-sized with Bushing

**Schedule 80 PVC Product**  
**Clamp-On Saddles & Hot-Tap Saddles**

**Clamp-On Saddles**

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

Clamp-On Saddle x SR Thread Double Outlet  
PVC Gray

with EPDM O-ring Seal & SS Hardware

2" - 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

869S-247SR	2X1/2	3/4	1	10	086	82.98
869S-248SR	2X3/4	7/8	1	10	086	82.98
869S-249SR	2X1	1-1/8	1	10	086	82.98
869S-250SR	2X1-1/4	1-1/2	1	10	086	82.98
869S-251SR	2X1-1/2	1-1/2	1	10	086	82.98
869S-291SR	2-1/2X1-1/2	1-3/4	1	10	086	110.62
869S-333SR <sup>1</sup>	3X1/2	7/8	1	10	086	110.62
869S-334SR	3X3/4	7/8	1	10	086	110.62
869S-335SR	3X1	1-1/8	1	10	086	110.62
869S-336SR <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	110.62
869S-337SR <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	110.62
869S-338SR	3X2	2-1/4	1	10	086	110.62
869S-415SR <sup>1</sup>	4X1/2	1-1/8	1	10	086	138.58
869S-416SR <sup>1</sup>	4X3/4	1-1/8	1	10	086	138.58
869S-417SR	4X1	1-1/8	1	8	086	138.58
869S-418SR <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	138.58
869S-419SR	4X1-1/2	1-3/4	1	8	086	138.58
869S-420SR	4X2	2-1/4	1	8	086	138.58
869S-421SR <sup>1</sup>	4X2-1/2	3	1	4	086	148.05
869S-422SR	4X3	3	1	4	086	154.68
869S-523SR <sup>1</sup>	6X1/2	1-1/8	1	4	086	230.89
869S-524SR <sup>1</sup>	6X3/4	1-1/8	1	4	086	230.89
869S-525SR	6X1	1-1/8	1	4	086	230.89
869S-526SR <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	230.89
869S-527SR <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	230.89
869S-528SR	6X2	2-1/4	1	4	086	230.89
869S-529SR <sup>1</sup>	6X2-1/2	3	1	4	086	242.29
869S-530SR	6X3	3	1	4	086	252.23
869S-532SR	6X4	4	1	4	086	260.24
869S-573SR <sup>1</sup>	8X1/2	4	1	0	086	397.35
869S-574SR <sup>1</sup>	8X3/4	4	1	0	086	397.35
869S-575SR <sup>1</sup>	8X1	4	1	0	086	397.35
869S-576SR <sup>1</sup>	8X1-1/4	4	1	0	086	397.35
869S-577SR <sup>1</sup>	8X1-1/2	4	1	0	086	397.35
869S-578SR <sup>1</sup>	8X2	4	1	0	086	397.35
869S-579SR <sup>1</sup>	8X2-1/2	4	1	0	086	417.09
869S-580SR <sup>1</sup>	8X3	4	1	0	086	442.25
869S-582SR	8X4	4	1	0	086	468.85
869S-585SR	8X6	6	1	0	086	514.66
869S-624SR	10X4	4	1	0	086	452.99
869S-626SR	10X6	6	1	0	086	641.62
869S-664SR	12X4	4	1	0	086	699.46
869S-666SR	12X6	6	1	0	086	811.29



<sup>1</sup> Outlet-sized with Bushing

**Hot-Tap Saddles**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Hot-Tap Saddle PVC Gray

EPDM Saddle x Socket (Spigot) Zinc Plated Bolts

2" - 4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HT2-248	2X3/4 (1)	1	5	049	62.85
HT2-251	2X1-1/2 (2)	1	5	049	129.85
HT2-288	2-1/2X3/4 (1)	1	5	049	67.17
HT2-291	2-1/2X1-1/2 (2)	1	5	049	134.16
HT2-334	3X3/4 (1)	1	5	049	76.92
HT2-337	3X1-1/2 (2)	1	5	049	147.87
HT2-416	4X3/4 (1)	1	5	049	88.84
HT2-419	4X1-1/2 (2)	1	0	049	156.37
HT2-524	6X3/4 (1)	1	5	049	99.86
HT2-527	6X1-1/2 (2)	1	0	049	166.48
HT2-574	8X3/4 (1)	1	0	049	110.52
HT2-577	8X1-1/2 (2)	1	0	049	177.51

Not intended to convey or dispense water for human consumption through drinking or cooking



Hot-Tap Saddle PVC Gray

EPDM Saddle x Socket (Spigot) SS316 Bolts

2" - 4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HT2S-248	2X3/4 (1)	1	5	049	97.87
HT2S-251	2X1-1/2 (2)	1	5	049	202.05
HT2S-288	2-1/2X3/4 (1)	1	5	049	104.55
HT2S-291	2-1/2X1-1/2 (2)	1	5	049	208.73
HT2S-334	3X3/4 (1)	1	5	049	119.74
HT2S-337	3X1-1/2 (2)	1	5	049	230.24
HT2S-416	4X3/4 (1)	1	5	049	138.32
HT2S-419	4X1-1/2 (2)	1	0	049	243.39
HT2S-524	6X3/4 (1)	1	5	049	155.31
HT2S-527	6X1-1/2 (2)	1	0	049	258.92
HT2S-574	8X3/4 (1)	1	0	049	171.17
HT2S-577	8X1-1/2 (2)	1	0	049	275.19

Not intended to convey or dispense water for human consumption through drinking or cooking



Schedule 80 PVC Product

Hot-Tap Saddles

Hot-Tap Saddles

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Hot-Tap Saddle PVC Gray

FKM Saddle x Socket (Spigot) Zinc Plated Bolts



2" - 4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HT3-248	2X3/4 (1)	1	5	049	68.26
HT3-251	2X1-1/2 (2)	1	5	049	140.86
HT3-288	2-1/2X3/4 (1)	1	5	049	72.96
HT3-291	2-1/2X1-1/2 (2)	1	5	049	145.55
HT3-334	3X3/4 (1)	1	5	049	83.41
HT3-337	3X1-1/2 (2)	1	5	049	160.69
HT3-416	4X3/4 (1)	1	5	049	96.42
HT3-419	4X1-1/2 (2)	1	0	049	167.63
HT3-524	6X3/4 (1)	1	5	049	108.35
HT3-527	6X1-1/2 (2)	1	0	049	180.21
HT3-574	8X3/4 (1)	1	0	049	120.42
HT3-577	8X1-1/2 (2)	1	0	049	213.42

Not intended to convey or dispense water for human consumption through drinking or cooking

Hot-Tap Saddle PVC Gray

FKM Saddle x Socket (Spigot) SS316 Bolts



2" - 4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HT3S-248	2X3/4 (1)	1	5	049	106.16
HT3S-251	2X1-1/2 (2)	1	5	049	219.22
HT3S-288	2-1/2X3/4 (1)	1	5	049	113.75
HT3S-291	2-1/2X1-1/2 (2)	1	5	049	226.60
HT3S-334	3X3/4 (1)	1	5	049	129.85
HT3S-337	3X1-1/2 (2)	1	5	049	250.07
HT3S-416	4X3/4 (1)	1	5	049	149.86
HT3S-419	4X1-1/2 (2)	1	0	049	264.17
HT3S-524	6X3/4 (1)	1	5	049	168.65
HT3S-527	6X1-1/2 (2)	1	0	049	280.62
HT3S-574	8X3/4 (1)	1	0	049	186.54
HT3S-577	8X1-1/2 (2)	1	0	049	297.43

Not intended to convey or dispense water for human consumption through drinking or cooking

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Hot-Tap Saddle PVC Gray

EPDM with Stainless Steel Cutter & Bolts



2" - 4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HTS2S-248	2X3/4 (1)	1	5	049	468.83
HTS2S-251	2X1-1/2 (2)	1	5	049	706.57
HTS2S-288	2-1/2X3/4 (1)	1	5	049	501.64
HTS2S-291	2-1/2X1-1/2 (2)	1	5	049	709.15
HTS2S-334	3X3/4 (1)	1	5	049	474.80
HTS2S-337	3X1-1/2 (2)	1	5	049	720.21
HTS2S-416	4X3/4 (1)	1	5	049	514.29
HTS2S-419	4X1-1/2 (2)	1	0	049	740.89
HTS2S-524	6X3/4 (1)	1	5	049	568.18
HTS2S-527	6X1-1/2 (2)	1	0	049	814.75
HTS2S-574	8X3/4 (1)	1	0	049	810.56
HTS2S-577	8X1-1/2 (2)	1	0	049	962.54

Lead Free

Hot-Tap Saddle PVC Gray

FKM with Stainless Steel Cutter & Bolts



2" - 4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HTS3S-248	2X3/4 (1)	1	5	049	476.25
HTS3S-251	2X1-1/2 (2)	1	5	049	719.72
HTS3S-288	2-1/2X3/4 (1)	1	5	049	509.63
HTS3S-291	2-1/2X1-1/2 (2)	1	5	049	722.22
HTS3S-334	3X3/4 (1)	1	5	049	480.59
HTS3S-337	3X1-1/2 (2)	1	5	049	736.94
HTS3S-416	4X3/4 (1)	1	5	049	524.54
HTS3S-419	4X1-1/2 (2)	1	0	049	761.40
HTS3S-524	6X3/4 (1)	1	5	049	578.36
HTS3S-527	6X1-1/2 (2)	1	0	049	834.34
HTS3S-574	8X3/4 (1)	1	0	049	818.77
HTS3S-577	8X1-1/2 (2)	1	0	049	980.69

Lead Free