

# PVC Gray Schedule 40 Fittings

## PRODUCT

**Schedule 40 Fittings Product**  
**PVC Gray Sch 40 Fittings**



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Tee - Gray**

**Socket x Socket x Socket**



401-005G	1/2	50	300	043	1.12
401-007G	3/4	50	0	043	1.25
401-010G	1	50	0	043	2.32
401-012G	1-1/4	25	0	043	3.67
401-015G	1-1/2	25	0	043	4.48
401-020G	2	25	0	043	6.46
401-025G	2-1/2	10	0	043	21.40
401-030G	3	10	0	043	28.05
401-040G	4	6	0	043	50.78
401-050G	5	5	0	043	122.73
401-060G	6	4	0	043	171.01
401-080G	8	2	0	043	396.65
401-100G	10	1	0	044	1314.27
401-120G	12	1	0	044	1941.89

**Tee - Reducing - Gray**

**Socket x Socket x Socket**



401-101G	3/4X1/2	50	0	043	1.45
401-130G	1X1/2	50	0	043	2.46
401-131G	1X3/4	50	0	043	2.66
401-166G	1-1/4X1/2	25	0	043	4.00
401-167G	1-1/4X3/4	25	0	043	4.00
401-168G	1-1/4X1	25	0	043	4.00
401-209G	1-1/2X1/2	25	0	043	7.08
401-210G	1-1/2X3/4	25	0	043	7.08
401-211G	1-1/2X1	25	0	043	7.08
401-212G	1-1/2X1-1/4	25	0	043	7.08
401-247G	2X1/2	10	0	043	6.92
D401-247G	2X1/2	10	0	043	10.06

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Tee - Reducing - Gray (continued)**

**Socket x Socket x Socket**

401-248G	2X3/4	10	0	043	6.92
401-249G	2X1	10	0	043	6.92
401-250G	2X1-1/4	10	0	043	6.92
401-251G	2X1-1/2	10	0	043	6.92
401-337G	3X1-1/2	10	0	043	30.55
401-338G	3X2	6	0	043	30.54
401-420G	4X2	10	0	043	50.78
401-422G	4X3	6	0	043	50.78
401-532G	6X4	2	0	043	171.01
401-585G	8X6	2	0	043	396.63

**Tee - Gray**

**Socket x Socket x Fipt**



402-005G	1/2	50	300	043	1.45
402-007G	3/4	50	0	043	2.23
402-010G	1	50	0	043	4.18
402-012G	1-1/4	25	0	043	6.62

**Tee - Reducing - Gray**

**Socket x Socket x Fipt**



402-101G	3/4X1/2	50	0	043	1.89
402-130G	1X1/2	50	0	043	2.89
402-131G	1X3/4	50	0	043	4.18
402-166G	1-1/4X1/2	25	0	043	6.92
402-167G	1-1/4X3/4	25	0	043	6.92
402-168G	1-1/4X1	25	0	043	6.92
402-199G	1-1/2X1-1/4X1/2	25	0	043	8.59
402-209G	1-1/2X1/2	25	0	043	8.59
402-210G	1-1/2X3/4	25	0	043	8.59
402-211G	1-1/2X1-1/2X1	25	0	043	8.59
402-212G	1-1/2X1-1/4	25	0	043	8.59
402-247G	2X1/2	10	0	043	10.82
402-248G	2X3/4	10	0	043	10.82
402-249G	2X1	10	0	043	10.82
402-250G	2X1-1/4	10	0	043	10.82
402-251G	2X1-1/2	10	0	043	10.82

**Schedule 40 Fittings Product**  
**PVC Gray Sch 40 Fittings**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Tee - Gray

**Fipt x Fipt x Fipt**



405-005G	1/2	50	0	043	3.99
405-007G	3/4	50	0	043	6.27
405-010G	1	50	0	043	8.69
405-012G	1-1/4	25	0	043	12.04
405-015G	1-1/2	25	0	043	12.39
405-020G	2	10	0	043	16.41

90° Ell - Gray

**Socket x Socket**



406-003G	3/8	50	600	043	4.40
406-005G	1/2	50	400	043	.88
406-007G	3/4	50	300	043	.98
406-010G	1	50	0	043	1.77
406-012G	1-1/4	25	0	043	3.12
406-015G	1-1/2	25	0	043	3.29
406-020G	2	25	0	043	5.32
406-025G	2-1/2	10	0	043	15.96
406-030G	3	10	0	043	19.13
406-040G	4	8	0	043	34.22
406-050G	5	4	0	043	88.45
406-060G	6	4	0	043	108.85
406-080G	8	2	0	043	280.34
406-100G	10	1	0	044	1055.72
406-120G	12	1	0	044	1415.97

90° Ell - Reducing

**Socket x Socket**



406-101G	3/4X1/2	50	0	043	1.77
406-130G	1X1/2	50	0	043	2.62

90° Ell - Gray

**Socket x Fipt**



407-005G	1/2	50	400	043	1.12
407-007G	3/4	50	300	043	1.25
407-010G	1	50	0	043	2.32
407-012G	1-1/4	25	0	043	3.93
407-015G	1-1/2	25	0	043	4.36
407-020G	2	10	0	043	11.24

90° Ell - Reducing - Gray

**Socket x Fipt**



407-101G	3/4X1/2	50	300	043	1.32
----------	---------	----	-----	-----	------

Made in the U.S.A.

Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

90° Ell - Gray

**Fipt x Fipt**



408-005G	1/2	50	400	043	2.14
408-007G	3/4	50	0	043	3.17
408-010G	1	50	0	043	6.69
408-012G	1-1/4	25	0	043	7.17
408-015G	1-1/2	25	0	043	9.06
408-020G	2	10	0	043	13.76

90° Street Ell - Gray

**Spigot x Socket**



409-005G	1/2	50	400	043	2.46
409-007G	3/4	50	0	043	3.03
409-010G	1	50	0	043	5.26
409-012G	1-1/4	25	0	043	6.27
409-015G	1-1/2	25	0	043	6.92

90° Street Ell - Sweep, Gray

**Socket x Spigot**



409-030SG	3	10	0	040	42.55
-----------	---	----	---	-----	-------

90° Street Ell - Gray

**Mipt x Socket**



410-005G	1/2	50	400	043	1.89
410-007G	3/4	50	0	043	2.23

90° Street Ell - Gray

**Mipt x Fipt**



412-005G	1/2	50	600	043	2.60
412-007G	3/4	50	0	043	3.17
412-010G	1	50	0	043	5.40
412-015G	1-1/2	25	0	043	7.28

22-1/2° Ell - Gray

**Socket x Socket**



416-060GF	6	1	5	045	113.26
416-120GF	12	1	2	045	363.87

**Schedule 40 Fittings Product**  
**PVC Gray Sch 40 Fittings**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

45° Ell - Gray

**Socket x Socket**



417-005G	1/2	50	400	043	1.46
417-007G	3/4	50	300	043	2.23
417-010G	1	50	0	043	2.66
417-012G	1-1/4	25	0	043	3.81
417-015G	1-1/2	25	0	043	4.72
417-020G	2	25	0	043	6.16
417-025G	2-1/2	10	0	043	15.97
417-030G	3	10	0	043	24.83
417-040G	4	5	0	043	44.62
417-050G	5	5	0	043	88.45
417-060G	6	8	0	043	110.16
417-080G	8	3	0	043	264.94

Cross - Gray

**Socket x Socket x Socket x Socket**



420-005G	1/2	50	0	043	3.36
420-007G	3/4	50	0	043	5.55
420-010G	1	50	0	043	6.92
420-012G	1-1/4	25	0	043	9.15
420-015G	1-1/2	25	0	043	10.37
420-020G	2	10	0	043	15.33
420-025G	2-1/2	10	0	043	32.49
420-030G	3	5	0	043	39.84
420-040G	4	4	0	043	59.07

Coupling - Gray

**Socket x Socket**



429-005G	1/2	50	600	043	.60
429-007G	3/4	50	400	043	.83
429-010G	1	50	0	043	1.41
429-012G	1-1/4	25	150	043	1.89
429-015G	1-1/2	25	0	043	2.05
429-020G	2	25	0	043	3.20
429-025G	2-1/2	12	0	043	6.92
429-030G	3	10	0	043	10.86
429-040G	4	6	0	043	15.69
429-050G	5	5	0	043	28.75
429-060G	6	5	0	043	49.68
429-080G	8	8	0	043	92.76

Coupling - Reducer - Gray

**Socket x Socket**



429-101G	3/4X1/2	50	200	043	1.45
429-131G	1X3/4	50	0	043	2.46

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Coupling - Reducer - Gray (continued)

**Socket x Socket**

429-168G	1-1/4X1	25	0	043	4.18
429-212G	1-1/2X1-1/4	25	0	043	4.40
429-251G	2X1-1/2	10	80	043	6.99
429-338G	3X2	8	0	043	35.72
429-422G	4X3	4	0	043	47.08

Coupling - Gray

**Fipt x Fipt**



430-005G	1/2	50	300	043	1.13
430-007G	3/4	50	400	043	2.07
430-010G	1	50	0	043	2.66

Female Adapter - Gray

**Socket x Fipt**



435-005G	1/2	50	600	043	.98
435-007G	3/4	50	400	043	1.25
435-010G	1	50	0	043	1.46
435-012G	1-1/4	25	0	043	2.23
435-015G	1-1/2	25	0	043	2.60
435-020G	2	10	80	043	3.48
435-025G	2-1/2	10	0	043	8.77
435-030G	3	5	0	043	11.75
435-040G	4	6	0	043	19.45
435-050G	5	5	0	043	50.36
435-060G	6	5	0	043	71.54

Female Adapter - Reducing - Gray

**Socket x Fipt**



435-073G	1/2X3/8	50	600	043	1.77
435-101G	3/4X1/2	50	400	043	1.77
435-131G	1X3/4	50	0	043	2.32

Female Adapter - Spigot - Gray

**Spigot x Fipt**



478-005G	1/2	50	600	043	1.13
478-007G	3/4	25	300	043	1.31
478-010G	1	50	0	043	2.09
478-012G	1-1/4	25	0	043	2.87
478-015G	1-1/2	20	0	043	3.58
478-020G	2	20	0	043	5.26
478-030G	3	10	0	043	17.83
478-040G	4	5	0	043	29.54

**Schedule 40 Fittings Product**  
**PVC Gray Sch 40 Fittings**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Male Adapter - Gray

**Mipt x Socket**



436-005G	1/2	50	300	043	.77
436-007G	3/4	50	400	043	.88
436-010G	1	50	300	043	1.56
436-012G	1-1/4	25	200	043	1.89
436-015G	1-1/2	25	0	043	2.60
436-020G	2	25	0	043	3.36
436-025G	2-1/2	10	0	043	9.94
436-030G	3	10	0	043	14.57
436-040G	4	5	0	043	18.56
436-050G	5	5	0	043	30.58
436-060G	6	7	0	043	48.44

Male Adapter - Reducing - Gray

**Mipt x Socket**



436-074G	1/2X3/4	50	200	043	1.56
436-101G	3/4X1/2	50	300	043	1.45

Reducer Bushing Flush Style - Gray

**Spigot x Socket**



437-101G	3/4X1/2	50	300	043	.92
437-130G	1X1/2	50	200	043	1.69
437-131G	1X3/4	50	300	043	1.69
437-166G	1-1/4X1/2	25	300	043	2.23
437-167G	1-1/4X3/4	25	300	043	2.23
437-168G	1-1/4X1	25	300	043	2.23
437-209G	1-1/2X1/2	25	200	043	2.37
437-210G	1-1/2X3/4	25	200	043	2.37
437-211G	1-1/2X1	25	200	043	2.37
437-212G	1-1/2X1-1/4	25	200	043	2.37
437-247G	2X1/2	10	120	043	3.93
437-248G	2X3/4	10	120	043	3.93
437-249G	2X1	10	60	043	3.93
437-250G	2X1-1/4	10	120	043	3.93
437-251G	2X1-1/2	25	0	043	3.93
437-290G	2-1/2X1-1/4	10	40	043	6.28
437-291G	2-1/2X1-1/2	10	0	043	6.28
437-292G	2-1/2X2	10	80	043	6.28
437-334G	3X3/4	10	0	043	9.31
437-335G	3X1	10	0	043	9.31
437-336G	3X1-1/4	10	0	043	9.31
437-337G	3X1-1/2	10	0	043	9.31
437-338G	3X2	10	0	043	9.31
437-339G	3X2-1/2	10	0	043	9.31
437-420G	4X2	6	0	043	20.80
437-421G	4X2-1/2	6	0	043	20.80
437-422G	4X3	6	0	043	20.80

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Reducer Bushing Flush Style - Gray (continued)

**Spigot x Socket**

437-490G	5X4	5	0	043	29.21
437-532G	6X4	5	0	043	51.41
437-534G	6X5	5	0	043	51.49
437-582G	8X4	4	0	043	179.41
437-585G	8X6	4	0	043	179.41

Reducer Bushing Flush Style - Gray

**Spigot x Fipt**



438-072G	1/2X1/4	50	300	043	1.89
438-073G	1/2X3/8	50	300	043	1.89
438-098G	3/4X1/4	50	300	043	1.89
438-101G	3/4X1/2	50	300	043	1.45
438-130G	1X1/2	50	200	043	2.32
438-131G	1X3/4	50	300	043	2.32
438-166G	1-1/4X1/2	25	150	043	3.62
438-167G	1-1/4X3/4	25	300	043	3.62
438-168G	1-1/4X1	25	300	043	3.62
438-209G	1-1/2X1/2	25	100	043	4.18
438-210G	1-1/2X3/4	25	100	043	4.18
438-211G	1-1/2X1	25	100	043	4.18
438-212G	1-1/2X1-1/4	25	100	043	4.18
438-247G	2X1/2	10	80	043	5.55
438-248G	2X3/4	10	80	043	5.55
438-249G	2X1	10	120	043	5.55
438-250G	2X1-1/4	10	120	043	5.55
438-251G	2X1-1/2	10	120	043	5.55
438-291G	2-1/2X1-1/2	10	0	043	8.05
438-292G	2-1/2X2	10	40	043	8.05
438-338G	3X2	10	0	043	9.31
438-420G	4X2	6	0	043	20.75
438-422G	4X3	6	0	043	20.75
438-490G	5X4	4	0	043	40.42
438-532G	6X4	5	0	043	75.95

Reducer (T.T.) Bushing - Gray

**Mipt x Fipt**



439-101G	3/4X1/2	50	300	043	2.60
439-130G	1X1/2	50	300	043	3.62
439-131G	1X3/4	50	200	043	3.62
439-166G	1-1/4X1/2	25	300	043	5.36
439-167G	1-1/4X3/4	25	300	043	5.36
439-168G	1-1/4X1	25	150	043	5.36
439-210G	1-1/2X3/4	25	100	043	6.46
439-211G	1-1/2X1	25	100	043	6.46
439-212G	1-1/2X1-1/4	25	300	043	6.46
439-249G	2X1	10	60	043	6.92
439-250G	2X1-1/4	10	120	043	6.92
439-251G	2X1-1/2	10	60	043	6.92

**Schedule 40 Fittings Product**  
**PVC Gray Sch 40 Fittings**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Cap - Gray**

**Socket**



447-003G	3/8	50	300	043	2.23
447-005G	1/2	50	300	043	.83
447-007G	3/4	50	300	043	.93
447-010G	1	50	200	043	1.46
447-012G	1-1/4	25	100	043	2.05
447-015G	1-1/2	25	0	043	2.23
447-020G	2	10	80	043	2.71
447-025G	2-1/2	10	0	043	8.62
447-030G	3	10	0	043	9.39
447-040G	4	6	0	043	21.40
447-050G	5	5	0	043	35.91
447-060G	6	4	0	043	51.25
447-080G	8	3	0	043	129.89

**Cap - Gray**

**Fipt**



448-003G	3/8	50	300	043	3.03
448-005G	1/2	50	300	043	1.69
448-007G	3/4	50	300	043	1.91
448-010G	1	50	200	043	2.89
448-012G	1-1/4	25	100	043	3.45
448-015G	1-1/2	25	100	043	3.62
448-020G	2	10	120	043	6.39
448-030G	3	10	0	043	12.31
448-040G	4	6	0	043	21.54

**Plug - Gray**

**Spigot**



449-005G	1/2	50	300	043	1.89
449-007G	3/4	50	300	043	2.23
449-010G	1	50	200	043	2.66
449-012G	1-1/4	25	150	043	3.62
449-015G	1-1/2	25	100	043	4.59
449-020G	2	10	120	043	5.69
449-030G	3	10	0	043	12.86

**Plug - Gray**

**Mipt**



450-003G	3/8	50	300	043	2.44
450-005G	1/2	50	400	043	2.37
450-007G	3/4	50	300	043	2.59
450-010G	1	50	300	043	4.18
450-012G	1-1/4	25	300	043	4.37
450-015G	1-1/2	25	100	043	4.71

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Plug - Gray (continued)**

**Mipt**

450-020G	2	10	120	043	6.04
450-025G	2-1/2	10	80	043	8.39
450-030G	3	10	0	043	12.73
450-040G	4	6	0	043	28.72

**Wye - Gray**

**Socket x Socket x Socket**



100 psi maximum internal pressure rating @ 73°F (23°C)

475-100G	10	1	0	044	1752.31
475-120G	12	1	0	044	2589.21

**Union - Socket/Buna - Gray**

**Socket x Socket with Buna-N O-ring Seal**



150 psi @ 73°F (23°C)

457-005G	1/2	20	120	043	8.59
457-007G	3/4	15	90	043	9.84
457-010G	1	10	60	043	10.06
457-012G	1-1/4	5	20	043	32.47
457-015G	1-1/2	5	20	043	33.85
457-020G	2	5	0	043	45.63

**Union - Socket/EPDM - Gray**

**Socket x Socket with EPDM O-ring Seal**



150 psi @ 73°F (23°C)

497-005G	1/2	20	120	043	9.47
497-007G	3/4	15	90	043	10.82
497-010G	1	10	60	043	11.06
497-012G	1-1/4	5	30	043	35.71
497-015G	1-1/2	5	20	043	37.25
497-020G	2	5	0	043	50.18

**Union - FIPT/Buna - Gray**

**FIPT x FIPT with Buna-N O-ring Seal**



150 psi @ 73°F (23°C)

458-005G	1/2	20	120	043	9.63
458-007G	3/4	15	90	043	16.12
458-010G	1	10	60	043	21.96
458-012G	1-1/4	5	20	043	37.75
458-015G	1-1/2	5	30	043	38.57
458-020G	2	5	0	043	47.37

Schedule 40 Fittings Product  
**PVC Gray Sch 40 Fittings**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Union - Fipt/EPDM - Gray

**Fipt x Fipt with EPDM O-ring Seal**



150 psi @ 73°F (23°C)

<a href="#">498-005G</a>	<b>1/2</b>	10	60	043	10.58
<a href="#">498-007G</a>	<b>3/4</b>	15	90	043	17.72
<a href="#">498-010G</a>	<b>1</b>	10	60	043	24.14
<a href="#">498-012G</a>	<b>1-1/4</b>	5	30	043	41.42
<a href="#">498-015G</a>	<b>1-1/2</b>	5	30	043	42.52
<a href="#">498-020G</a>	<b>2</b>	5	0	043	52.12