

Fume & Air Duct
PVC & CPVC Duct & Fabricated Duct Fittings

PVC & CPVC Duct & Fabricated Duct Fittings



PRICING

P
LASCO

**Welding &
Fabrication Inc.**

4268 Dundas St.
Thorndale, On N0M 2P0
1.888.475.2726
www.plascowelding.com

Fume & Air Duct PVC & CPVC Cold Rolled Fabricated Duct

PVC & CPVC Round Seamless Duct

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | Price Each |
|-------------|------|--------|----------|-----------|------------|
|-------------|------|--------|----------|-----------|------------|

10 ft.PVC Duct - Plain End Price Per Foot



| | | | | | |
|---------------|----|----|---|-----|--------|
| PD-430-060-10 | 6 | 10 | 0 | 748 | 13.00 |
| PD-430-080-10 | 8 | 10 | 0 | 748 | 16.37 |
| PD-430-100-10 | 10 | 10 | 0 | 748 | 20.51 |
| PD-430-120-10 | 12 | 10 | 0 | 748 | 24.39 |
| PD-430-140-10 | 14 | 10 | 0 | 948 | 88.12 |
| PD-430-160-10 | 16 | 10 | 0 | 948 | 100.68 |
| PD-430-180-10 | 18 | 10 | 0 | 948 | 148.98 |
| PD-430-200-10 | 20 | 10 | 0 | 948 | 187.03 |
| PD-430-240-10 | 24 | 10 | 0 | 948 | 237.45 |

- Pipe sold in individual lengths or lift quantities. No cut lengths.
- No return on Pipe
- Large orders may be shipped directly from Spears® manufacturing facility. Note: Multiple drops may be made on TL shipments. Contact Spears® Regional Distribution Center for requirements and drop-off charges.

20 ft. PVC Duct - Plain End Price Per Foot



| | | | | | |
|------------|----|----|---|-----|--------|
| PD-430-060 | 6 | 20 | 0 | 748 | 13.00 |
| PD-430-080 | 8 | 20 | 0 | 748 | 16.37 |
| PD-430-100 | 10 | 20 | 0 | 748 | 20.51 |
| PD-430-120 | 12 | 20 | 0 | 748 | 24.39 |
| PD-430-140 | 14 | 20 | 0 | 948 | 88.12 |
| PD-430-160 | 16 | 20 | 0 | 948 | 100.68 |
| PD-430-180 | 18 | 20 | 0 | 948 | 148.98 |
| PD-430-200 | 20 | 20 | 0 | 948 | 187.03 |
| PD-430-240 | 24 | 20 | 0 | 948 | 237.45 |

- Pipe sold in individual lengths or lift quantities. No cut lengths.
- No return on Pipe
- Large orders may be shipped directly from Spears® manufacturing facility. Note: Multiple drops may be made on TL shipments. Contact Spears® Regional Distribution Center for requirements and drop-off charges.

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | Price Each |
|-------------|------|--------|----------|-----------|------------|
|-------------|------|--------|----------|-----------|------------|

10 ft.CPVC Duct - Plain End Price Per Foot



| | | | | | |
|----------------|----|----|---|-----|--------|
| PD-430-060C-10 | 6 | 10 | 0 | 749 | 27.76 |
| PD-430-080C-10 | 8 | 10 | 0 | 749 | 36.40 |
| PD-430-100C-10 | 10 | 10 | 0 | 749 | 45.56 |
| PD-430-120C-10 | 12 | 10 | 0 | 749 | 54.18 |
| PD-430-140C-10 | 14 | 10 | 0 | 949 | 350.79 |
| PD-430-160C-10 | 16 | 10 | 0 | 949 | 424.59 |

- Pipe sold in individual lengths or lift quantities. No cut lengths.
- No return on Pipe
- Large orders may be shipped directly from Spears® manufacturing facility. Note: Multiple drops may be made on TL shipments. Contact Spears® Regional Distribution Center for requirements and drop-off charges.

20 ft.CPVC Duct - Plain End Price Per Foot



| | | | | | |
|-------------|----|----|---|-----|--------|
| PD-430-060C | 6 | 20 | 0 | 749 | 27.76 |
| PD-430-080C | 8 | 20 | 0 | 749 | 36.40 |
| PD-430-100C | 10 | 20 | 0 | 749 | 45.56 |
| PD-430-120C | 12 | 20 | 0 | 749 | 54.18 |
| PD-430-140C | 14 | 20 | 0 | 949 | 350.79 |
| PD-430-160C | 16 | 20 | 0 | 949 | 424.59 |
| PD-430-180C | 18 | 20 | 0 | 949 | 488.01 |
| PD-430-200C | 20 | 20 | 0 | 949 | 669.00 |
| PD-430-240C | 24 | 20 | 0 | 949 | 790.37 |

- Pipe sold in individual lengths or lift quantities. No cut lengths.
- No return on Pipe
- Large orders may be shipped directly from Spears® manufacturing facility. Note: Multiple drops may be made on TL shipments. Contact Spears® Regional Distribution Center for requirements and drop-off charges.

PVC & CPVC Cold Rolled Fabricated Duct

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | Price Each |
|-------------|------|--------|----------|-----------|------------|
|-------------|------|--------|----------|-----------|------------|

4' PVC Cold Rolled Duct - Plain End Price Each



| | | | | | |
|------------|------|---|---|-----|---------|
| PD-430-260 | 26X4 | 4 | 0 | 434 | 434.63 |
| PD-430-280 | 28X4 | 4 | 0 | 434 | 517.75 |
| PD-430-300 | 30X4 | 4 | 0 | 434 | 635.16 |
| PD-430-320 | 32X4 | 4 | 0 | 434 | 684.18 |
| PD-430-360 | 36X4 | 4 | 0 | 434 | 774.33 |
| PD-430-380 | 38X4 | 4 | 0 | 434 | 840.62 |
| PD-430-400 | 40X4 | 4 | 0 | 434 | 861.79 |
| PD-430-420 | 42X4 | 4 | 0 | 434 | 990.91 |
| PD-430-460 | 46X4 | 4 | 0 | 434 | 1070.85 |
| PD-430-480 | 48X4 | 4 | 0 | 434 | 1150.28 |

- Pipe sold in individual lengths or lift quantities. No cut lengths.
- No return on Pipe
- Large orders may be shipped directly from Spears® manufacturing facility. Note: Multiple drops may be made on TL shipments. Contact Spears® Regional Distribution Center for requirements and drop-off charges.

4' CPVC Cold Rolled Duct - Plain End Price Each



| | | | | | |
|-------------|------|---|---|-----|---------|
| PD-430-260C | 26X4 | 4 | 0 | 435 | 1299.24 |
| PD-430-280C | 28X4 | 4 | 0 | 435 | 1495.12 |

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | Price Each |
|-------------|------|--------|----------|-----------|------------|
|-------------|------|--------|----------|-----------|------------|

4' CPVC Cold Rolled Duct - Plain End (continued) Price Each

| | | | | | |
|-------------|------|---|---|-----|---------|
| PD-430-300C | 30X4 | 4 | 0 | 435 | 1659.65 |
| PD-430-320C | 32X4 | 4 | 0 | 435 | 1713.17 |
| PD-430-360C | 36X4 | 4 | 0 | 435 | 1831.13 |
| PD-430-380C | 38X4 | 4 | 0 | 435 | 2026.00 |
| PD-430-400C | 40X4 | 4 | 0 | 435 | 2122.95 |
| PD-430-420C | 42X4 | 4 | 0 | 435 | 2226.37 |
| PD-430-460C | 46X4 | 4 | 0 | 435 | 2504.78 |
| PD-430-480C | 48X4 | 4 | 0 | 435 | 2886.56 |

- Pipe sold in individual lengths or lift quantities. No cut lengths.
- No return on Pipe
- Large orders may be shipped directly from Spears® manufacturing facility. Note: Multiple drops may be made on TL shipments. Contact Spears® Regional Distribution Center for requirements and drop-off charges.

Fume & Air Duct PVC & CPVC Duct Fittings

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | Price Each |
|-------------|------|--------|----------|-----------|------------|
|-------------|------|--------|----------|-----------|------------|

PVC TEE Belled Socket



| | | | | | |
|----------|----|---|---|-----|---------|
| 4301-060 | 6 | 1 | 4 | 430 | 195.44 |
| 4301-080 | 8 | 1 | 0 | 430 | 248.74 |
| 4301-100 | 10 | 1 | 0 | 430 | 313.76 |
| 4301-120 | 12 | 1 | 0 | 430 | 345.68 |
| 4301-140 | 14 | 1 | 0 | 430 | 402.09 |
| 4301-160 | 16 | 1 | 0 | 430 | 518.00 |
| 4301-180 | 18 | 1 | 0 | 430 | 681.71 |
| 4301-200 | 20 | 1 | 0 | 430 | 1001.78 |
| 4301-240 | 24 | 1 | 0 | 430 | 1338.91 |

PVC REDUCING TEE Belled Socket



| | | | | | |
|----------|-------|---|---|-----|---------|
| 4301-532 | 6X4 | 1 | 4 | 430 | 217.64 |
| 4301-582 | 8X4 | 1 | 2 | 430 | 226.61 |
| 4301-585 | 8X6 | 1 | 0 | 430 | 240.18 |
| 4301-624 | 10X4 | 1 | 2 | 430 | 255.11 |
| 4301-626 | 10X6 | 1 | 0 | 430 | 266.86 |
| 4301-628 | 10X8 | 1 | 0 | 430 | 328.80 |
| 4301-664 | 12X4 | 1 | 2 | 430 | 306.21 |
| 4301-666 | 12X6 | 1 | 0 | 430 | 345.67 |
| 4301-668 | 12X8 | 1 | 0 | 430 | 368.42 |
| 4301-670 | 12X10 | 1 | 0 | 430 | 427.12 |
| 4301-694 | 14X4 | 1 | 0 | 430 | 344.56 |
| 4301-696 | 14X6 | 1 | 0 | 430 | 373.25 |
| 4301-698 | 14X8 | 1 | 0 | 430 | 398.89 |
| 4301-700 | 14X10 | 1 | 0 | 430 | 438.93 |
| 4301-702 | 14X12 | 1 | 0 | 430 | 515.43 |
| 4301-754 | 16X4 | 1 | 0 | 430 | 381.26 |
| 4301-756 | 16X6 | 1 | 0 | 430 | 405.20 |
| 4301-758 | 16X8 | 1 | 0 | 430 | 457.99 |
| 4301-760 | 16X10 | 1 | 0 | 430 | 510.48 |
| 4301-762 | 16X12 | 1 | 0 | 430 | 547.31 |
| 4301-764 | 16X14 | 1 | 0 | 430 | 619.26 |
| 4301-784 | 18X4 | 1 | 0 | 430 | 425.42 |
| 4301-786 | 18X6 | 1 | 0 | 430 | 446.36 |
| 4301-788 | 18X8 | 1 | 0 | 430 | 506.54 |
| 4301-790 | 18X10 | 1 | 0 | 430 | 553.36 |
| 4301-792 | 18X12 | 1 | 0 | 430 | 621.04 |
| 4301-794 | 18X14 | 1 | 0 | 430 | 677.44 |
| 4301-796 | 18X16 | 1 | 0 | 430 | 784.84 |
| 4301-814 | 20X4 | 1 | 0 | 430 | 480.28 |
| 4301-816 | 20X6 | 1 | 0 | 430 | 494.20 |
| 4301-818 | 20X8 | 1 | 0 | 430 | 559.35 |
| 4301-820 | 20X10 | 1 | 0 | 430 | 587.44 |
| 4301-822 | 20X12 | 1 | 0 | 430 | 675.23 |
| 4301-824 | 20X14 | 1 | 0 | 430 | 744.53 |
| 4301-826 | 20X16 | 1 | 0 | 430 | 871.72 |
| 4301-828 | 20X18 | 1 | 0 | 430 | 1042.61 |
| 4301-904 | 24X4 | 1 | 0 | 430 | 504.17 |
| 4301-906 | 24X6 | 1 | 0 | 430 | 526.11 |
| 4301-908 | 24X8 | 1 | 0 | 430 | 604.68 |
| 4301-910 | 24X10 | 1 | 0 | 430 | 687.16 |
| 4301-912 | 24X12 | 1 | 0 | 430 | 800.71 |
| 4301-914 | 24X14 | 1 | 0 | 430 | 884.81 |
| 4301-916 | 24X16 | 1 | 0 | 430 | 976.71 |
| 4301-918 | 24X18 | 1 | 0 | 430 | 1163.41 |
| 4301-920 | 24X20 | 1 | 0 | 430 | 1335.48 |

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | Price Each |
|-------------|------|--------|----------|-----------|------------|
|-------------|------|--------|----------|-----------|------------|

PVC 90° ELBOW Belled Socket



General Purpose 2-piece Construction

| | | | | | |
|----------|----|---|---|-----|--------|
| 4306-060 | 6 | 1 | 2 | 430 | 154.41 |
| 4306-080 | 8 | 1 | 2 | 430 | 174.00 |
| 4306-100 | 10 | 1 | 0 | 430 | 209.96 |
| 4306-120 | 12 | 1 | 0 | 430 | 236.77 |
| 4306-140 | 14 | 1 | 0 | 430 | 279.15 |
| 4306-160 | 16 | 1 | 0 | 430 | 360.64 |
| 4306-180 | 18 | 1 | 0 | 430 | 501.91 |
| 4306-200 | 20 | 1 | 0 | 430 | 763.47 |
| 4306-240 | 24 | 1 | 0 | 430 | 920.99 |

PVC 90° ELBOW 5-Piece Belled Socket



SMACNA Compliant 5-Piece Construction

| | | | | | |
|-----------|----|---|---|-----|---------|
| 43065-060 | 6 | 1 | 0 | 430 | 348.95 |
| 43065-080 | 8 | 1 | 0 | 430 | 367.83 |
| 43065-100 | 10 | 1 | 0 | 430 | 422.18 |
| 43065-120 | 12 | 1 | 0 | 430 | 487.32 |
| 43065-140 | 14 | 1 | 0 | 430 | 572.49 |
| 43065-160 | 16 | 1 | 0 | 430 | 644.68 |
| 43065-180 | 18 | 1 | 0 | 431 | 876.29 |
| 43065-200 | 20 | 1 | 0 | 430 | 952.05 |
| 43065-240 | 24 | 1 | 0 | 431 | 1693.76 |

PVC 45° ELBOW Belled Socket



General Purpose 1-piece Construction

| | | | | | |
|----------|----|---|---|-----|--------|
| 4317-060 | 6 | 1 | 4 | 430 | 108.18 |
| 4317-080 | 8 | 1 | 6 | 430 | 134.86 |
| 4317-100 | 10 | 1 | 2 | 430 | 146.18 |
| 4317-120 | 12 | 1 | 2 | 430 | 181.07 |
| 4317-140 | 14 | 1 | 0 | 430 | 213.91 |
| 4317-160 | 16 | 1 | 0 | 430 | 259.23 |
| 4317-180 | 18 | 1 | 0 | 430 | 378.37 |
| 4317-200 | 20 | 1 | 0 | 430 | 519.06 |
| 4317-240 | 24 | 1 | 0 | 430 | 675.51 |

PVC 45° ELBOW 3-Piece Belled Socket



SMACNA Compliant 3-Piece Construction

| | | | | | |
|-----------|----|---|---|-----|---------|
| 43173-060 | 6 | 1 | 0 | 430 | 127.09 |
| 43173-080 | 8 | 1 | 0 | 430 | 167.40 |
| 43173-100 | 10 | 1 | 0 | 430 | 195.73 |
| 43173-120 | 12 | 1 | 0 | 430 | 215.77 |
| 43173-140 | 14 | 1 | 0 | 430 | 264.52 |
| 43173-160 | 16 | 1 | 0 | 430 | 395.63 |
| 43173-180 | 18 | 1 | 0 | 430 | 548.58 |
| 43173-200 | 20 | 1 | 0 | 430 | 885.88 |
| 43173-240 | 24 | 1 | 0 | 430 | 1148.37 |

PVC BLAST GATE Belled End



| | | | | | |
|----------|----|---|---|-----|--------|
| 43BG-060 | 6 | 1 | 0 | 430 | 258.55 |
| 43BG-080 | 8 | 1 | 2 | 430 | 293.91 |
| 43BG-100 | 10 | 1 | 0 | 430 | 311.52 |
| 43BG-120 | 12 | 1 | 2 | 430 | 390.34 |
| 43BG-140 | 14 | 1 | 0 | 430 | 518.13 |
| 43BG-160 | 16 | 1 | 0 | 430 | 575.77 |

Fume & Air Duct PVC & CPVC Duct Fittings

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | Price Each |
|-----------------------------------|------|--------|----------|-----------|------------|
| PVC BLAST GATE (continued) | | | | | |
| Belled End | | | | | |
| 43BG-180 | 18 | 1 | 0 | 430 | 679.24 |
| 43BG-200 | 20 | 1 | 0 | 430 | 770.89 |
| 43BG-240 | 24 | 1 | 2 | 430 | 1050.39 |

PVC BUTTERFLY DAMPER Belled Socket



| | | | | | |
|----------|----|---|---|-----|--------|
| 43BD-060 | 6 | 1 | 2 | 430 | 253.23 |
| 43BD-080 | 8 | 1 | 2 | 430 | 261.00 |
| 43BD-100 | 10 | 1 | 0 | 430 | 298.97 |
| 43BD-120 | 12 | 1 | 0 | 430 | 320.38 |
| 43BD-140 | 14 | 1 | 2 | 430 | 428.96 |
| 43BD-160 | 16 | 1 | 0 | 430 | 478.03 |
| 43BD-180 | 18 | 1 | 0 | 430 | 648.80 |
| 43BD-200 | 20 | 1 | 0 | 430 | 764.57 |
| 43BD-240 | 24 | 1 | 0 | 430 | 988.14 |

PVC CROSS Belled Socket



| | | | | | |
|----------|----|---|---|-----|---------|
| 4320-060 | 6 | 1 | 0 | 430 | 342.65 |
| 4320-080 | 8 | 1 | 0 | 430 | 471.57 |
| 4320-100 | 10 | 1 | 0 | 430 | 562.41 |
| 4320-120 | 12 | 1 | 0 | 430 | 610.04 |
| 4320-140 | 14 | 1 | 0 | 430 | 755.08 |
| 4320-160 | 16 | 1 | 0 | 430 | 863.81 |
| 4320-180 | 18 | 1 | 0 | 430 | 1101.48 |
| 4320-200 | 20 | 1 | 0 | 430 | 1345.92 |
| 4320-240 | 24 | 1 | 0 | 430 | 1772.94 |

PVC REDUCING CROSS Belled Socket



| | | | | | |
|----------|-------|---|---|-----|---------|
| 4320-532 | 6X4 | 1 | 3 | 430 | 326.08 |
| 4320-582 | 8X4 | 1 | 0 | 430 | 403.63 |
| 4320-585 | 8X6 | 1 | 0 | 430 | 427.18 |
| 4320-624 | 10X4 | 1 | 0 | 430 | 445.39 |
| 4320-626 | 10X6 | 1 | 0 | 430 | 499.44 |
| 4320-628 | 10X8 | 1 | 0 | 430 | 526.84 |
| 4320-664 | 12X4 | 1 | 0 | 430 | 434.61 |
| 4320-666 | 12X6 | 1 | 0 | 430 | 475.74 |
| 4320-668 | 12X8 | 1 | 0 | 430 | 535.12 |
| 4320-670 | 12X10 | 1 | 0 | 430 | 569.61 |
| 4320-694 | 14X4 | 1 | 0 | 430 | 469.28 |
| 4320-696 | 14X6 | 1 | 0 | 430 | 539.87 |
| 4320-698 | 14X8 | 1 | 0 | 430 | 603.91 |
| 4320-700 | 14X10 | 1 | 0 | 430 | 656.12 |
| 4320-702 | 14X12 | 1 | 0 | 430 | 728.13 |
| 4320-754 | 16X4 | 1 | 0 | 430 | 607.36 |
| 4320-756 | 16X6 | 1 | 0 | 430 | 670.03 |
| 4320-758 | 16X8 | 1 | 0 | 430 | 720.99 |
| 4320-760 | 16X10 | 1 | 0 | 430 | 756.97 |
| 4320-762 | 16X12 | 1 | 0 | 430 | 790.67 |
| 4320-764 | 16X14 | 1 | 0 | 430 | 829.96 |
| 4320-784 | 18X4 | 1 | 0 | 430 | 688.06 |
| 4320-786 | 18X6 | 1 | 0 | 430 | 779.58 |
| 4320-788 | 18X8 | 1 | 0 | 430 | 823.31 |
| 4320-790 | 18X10 | 1 | 0 | 430 | 877.88 |
| 4320-792 | 18X12 | 1 | 0 | 430 | 932.33 |
| 4320-794 | 18X14 | 1 | 0 | 430 | 1010.23 |
| 4320-796 | 18X16 | 1 | 0 | 430 | 1055.69 |
| 4320-814 | 20X4 | 1 | 0 | 430 | 805.77 |
| 4320-816 | 20X6 | 1 | 0 | 430 | 892.74 |
| 4320-818 | 20X8 | 1 | 0 | 430 | 957.83 |

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | Price Each |
|---------------------------------------|------|--------|----------|-----------|------------|
| PVC REDUCING CROSS (continued) | | | | | |
| Belled Socket | | | | | |

| | | | | | |
|----------|-------|---|---|-----|---------|
| 4320-820 | 20X10 | 1 | 0 | 430 | 1007.82 |
| 4320-822 | 20X12 | 1 | 0 | 430 | 1072.34 |
| 4320-824 | 20X14 | 1 | 0 | 430 | 1144.23 |
| 4320-826 | 20X16 | 1 | 0 | 430 | 1209.94 |
| 4320-828 | 20X18 | 1 | 0 | 430 | 1303.33 |
| 4320-904 | 24X4 | 1 | 0 | 430 | 886.73 |
| 4320-906 | 24X6 | 1 | 0 | 430 | 903.81 |
| 4320-908 | 24X8 | 1 | 0 | 430 | 998.81 |
| 4320-910 | 24X10 | 1 | 0 | 430 | 1101.76 |
| 4320-912 | 24X12 | 1 | 0 | 430 | 1215.39 |
| 4320-914 | 24X14 | 1 | 0 | 430 | 1328.07 |
| 4320-916 | 24X16 | 1 | 0 | 430 | 1423.28 |
| 4320-918 | 24X18 | 1 | 0 | 430 | 1573.12 |
| 4320-920 | 24X20 | 1 | 0 | 430 | 1673.15 |

PVC COUPLING Belled Socket



| | | | | | |
|----------|----|---|---|-----|--------|
| 4329-060 | 6 | 1 | 4 | 430 | 41.82 |
| 4329-080 | 8 | 1 | 4 | 430 | 49.12 |
| 4329-100 | 10 | 1 | 2 | 430 | 57.87 |
| 4329-120 | 12 | 1 | 4 | 430 | 65.37 |
| 4329-140 | 14 | 1 | 2 | 430 | 71.69 |
| 4329-160 | 16 | 1 | 2 | 430 | 88.52 |
| 4329-180 | 18 | 1 | 2 | 430 | 129.31 |
| 4329-200 | 20 | 1 | 0 | 430 | 199.81 |
| 4329-240 | 24 | 1 | 0 | 430 | 270.51 |

PVC REDUCER COUPLING Belled Socket



| | | | | | |
|----------|-------|---|---|-----|---------|
| 4329-532 | 6X4 | 1 | 4 | 430 | 54.63 |
| 4329-582 | 8X4 | 1 | 5 | 430 | 168.92 |
| 4329-585 | 8X6 | 1 | 8 | 430 | 71.63 |
| 4329-624 | 10X4 | 1 | 2 | 430 | 315.72 |
| 4329-626 | 10X6 | 1 | 2 | 430 | 196.28 |
| 4329-628 | 10X8 | 1 | 4 | 430 | 92.04 |
| 4329-664 | 12X4 | 1 | 2 | 430 | 351.65 |
| 4329-666 | 12X6 | 1 | 2 | 430 | 339.61 |
| 4329-668 | 12X8 | 1 | 2 | 430 | 245.75 |
| 4329-670 | 12X10 | 1 | 4 | 430 | 107.13 |
| 4329-694 | 14X4 | 1 | 0 | 430 | 873.45 |
| 4329-696 | 14X6 | 1 | 0 | 430 | 632.81 |
| 4329-698 | 14X8 | 1 | 0 | 430 | 372.07 |
| 4329-700 | 14X10 | 1 | 0 | 430 | 307.37 |
| 4329-702 | 14X12 | 1 | 4 | 430 | 175.85 |
| 4329-754 | 16X4 | 1 | 0 | 430 | 1055.04 |
| 4329-756 | 16X6 | 1 | 0 | 430 | 854.63 |
| 4329-758 | 16X8 | 1 | 0 | 430 | 616.41 |
| 4329-760 | 16X10 | 1 | 0 | 430 | 428.77 |
| 4329-762 | 16X12 | 1 | 0 | 430 | 365.37 |
| 4329-764 | 16X14 | 1 | 0 | 430 | 198.73 |
| 4329-784 | 18X4 | 1 | 0 | 430 | 1318.09 |
| 4329-786 | 18X6 | 1 | 0 | 430 | 1076.65 |
| 4329-788 | 18X8 | 1 | 0 | 430 | 922.83 |
| 4329-790 | 18X10 | 1 | 0 | 430 | 630.28 |
| 4329-792 | 18X12 | 1 | 0 | 430 | 541.80 |
| 4329-794 | 18X14 | 1 | 0 | 430 | 457.41 |
| 4329-796 | 18X16 | 1 | 0 | 430 | 228.25 |
| 4329-814 | 20X4 | 1 | 0 | 430 | 1575.16 |
| 4329-816 | 20X6 | 1 | 0 | 430 | 1348.47 |
| 4329-818 | 20X8 | 1 | 0 | 430 | 1099.32 |
| 4329-820 | 20X10 | 1 | 0 | 430 | 988.61 |
| 4329-822 | 20X12 | 1 | 0 | 430 | 863.45 |

Fume & Air Duct PVC & CPVC Duct Fittings

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | Price Each |
|-------------|------|--------|----------|-----------|------------|
|-------------|------|--------|----------|-----------|------------|

PVC REDUCER COUPLING (continued)

Belled Socket

| | | | | | |
|----------|-------|---|---|-----|---------|
| 4329-824 | 20X14 | 1 | 0 | 430 | 647.56 |
| 4329-826 | 20X16 | 1 | 0 | 430 | 630.86 |
| 4329-828 | 20X18 | 1 | 0 | 430 | 402.61 |
| 4329-904 | 24X4 | 1 | 0 | 430 | 2011.81 |
| 4329-906 | 24X6 | 1 | 0 | 430 | 1799.31 |
| 4329-908 | 24X8 | 1 | 0 | 430 | 1564.77 |
| 4329-910 | 24X10 | 1 | 0 | 430 | 1335.55 |
| 4329-912 | 24X12 | 1 | 0 | 430 | 1126.77 |
| 4329-914 | 24X14 | 1 | 0 | 430 | 991.54 |
| 4329-916 | 24X16 | 1 | 0 | 430 | 1001.14 |
| 4329-918 | 24X18 | 1 | 0 | 430 | 746.55 |
| 4329-920 | 24X20 | 1 | 0 | 430 | 732.43 |

PVC SLEEVE COUPLING

Socket (No Stop)

| | | | | | |
|-----------|----|---|---|-----|--------|
| 4329S-060 | 6 | 1 | 5 | 431 | 34.57 |
| 4329S-080 | 8 | 1 | 8 | 431 | 45.46 |
| 4329S-100 | 10 | 1 | 4 | 431 | 51.21 |
| 4329S-120 | 12 | 1 | 4 | 431 | 55.95 |
| 4329S-140 | 14 | 1 | 4 | 431 | 71.77 |
| 4329S-160 | 16 | 1 | 0 | 431 | 79.41 |
| 4329S-180 | 18 | 1 | 2 | 431 | 104.97 |
| 4329S-200 | 20 | 1 | 2 | 431 | 131.77 |
| 4329S-240 | 24 | 1 | 2 | 431 | 152.81 |

PVC FLAT CAP

Belled Socket

| | | | | | |
|----------|----|---|----|-----|--------|
| 4347-060 | 6 | 1 | 10 | 430 | 85.94 |
| 4347-080 | 8 | 1 | 5 | 430 | 87.47 |
| 4347-100 | 10 | 1 | 5 | 430 | 94.33 |
| 4347-120 | 12 | 1 | 4 | 430 | 103.16 |
| 4347-140 | 14 | 1 | 4 | 430 | 166.32 |
| 4347-160 | 16 | 1 | 2 | 430 | 181.24 |
| 4347-180 | 18 | 1 | 4 | 430 | 197.48 |
| 4347-200 | 20 | 1 | 5 | 430 | 294.34 |
| 4347-240 | 24 | 1 | 4 | 430 | 300.91 |

PVC RAIN CAP

Belled Socket Style A

| | | | | | |
|-----------|----|---|---|-----|---------|
| 4347-060A | 6 | 1 | 4 | 430 | 654.49 |
| 4347-080A | 8 | 1 | 0 | 430 | 657.58 |
| 4347-100A | 10 | 1 | 0 | 430 | 684.87 |
| 4347-120A | 12 | 1 | 0 | 430 | 709.16 |
| 4347-140A | 14 | 1 | 0 | 430 | 776.63 |
| 4347-160A | 16 | 1 | 0 | 430 | 847.71 |
| 4347-180A | 18 | 1 | 0 | 430 | 1131.03 |
| 4347-200A | 20 | 1 | 0 | 430 | 1203.56 |
| 4347-240A | 24 | 1 | 0 | 430 | 1363.67 |

PVC RAIN CAP

Belled Socket Style B

| | | | | | |
|-----------|----|---|---|-----|---------|
| 4347-060B | 6 | 1 | 0 | 430 | 618.17 |
| 4347-080B | 8 | 1 | 0 | 430 | 699.53 |
| 4347-100B | 10 | 1 | 0 | 430 | 756.36 |
| 4347-120B | 12 | 1 | 8 | 430 | 823.57 |
| 4347-140B | 14 | 1 | 0 | 430 | 925.79 |
| 4347-160B | 16 | 1 | 0 | 430 | 1123.08 |
| 4347-180B | 18 | 1 | 0 | 430 | 1357.80 |
| 4347-200B | 20 | 1 | 0 | 430 | 1557.86 |
| 4347-240B | 24 | 1 | 0 | 430 | 1803.25 |

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | Price Each |
|-------------|------|--------|----------|-----------|------------|
|-------------|------|--------|----------|-----------|------------|

PVC DUCT FLANGE

Belled Socket One Piece



SMACNA Bolt Pattern

| | | | | | |
|-----------|----|---|---|-----|--------|
| 4351S-060 | 6 | 1 | 5 | 430 | 89.06 |
| 4351S-080 | 8 | 1 | 2 | 430 | 113.20 |
| 4351S-100 | 10 | 1 | 4 | 430 | 120.96 |
| 4351S-120 | 12 | 1 | 2 | 430 | 141.12 |
| 4351S-140 | 14 | 1 | 0 | 430 | 154.79 |
| 4351S-160 | 16 | 1 | 0 | 430 | 199.67 |
| 4351S-180 | 18 | 1 | 3 | 430 | 297.61 |
| 4351S-200 | 20 | 1 | 0 | 430 | 365.05 |
| 4351S-240 | 24 | 1 | 0 | 430 | 392.96 |

See SMACNA Flange Specifications at the front of this catalog.
Also available in ANSI Class 150 Bolt Pattern.

PVC BLIND DUCT FLANGE

One Piece



Class 150 Bolt Pattern

| | | | | | |
|----------|----|---|----|-----|--------|
| 4353-060 | 6 | 1 | 36 | 430 | 86.16 |
| 4353-080 | 8 | 1 | 52 | 430 | 108.08 |
| 4353-100 | 10 | 1 | 18 | 430 | 119.23 |
| 4353-120 | 12 | 1 | 50 | 430 | 143.32 |
| 4353-140 | 14 | 1 | 50 | 430 | 182.39 |
| 4353-160 | 16 | 1 | 50 | 430 | 207.37 |
| 4353-180 | 18 | 1 | 50 | 430 | 252.56 |
| 4353-200 | 20 | 1 | 57 | 430 | 352.25 |
| 4353-240 | 24 | 1 | 0 | 430 | 379.19 |

PVC BLIND DUCT FLANGE

One Piece



SMACNA Bolt Pattern

| | | | | | |
|-----------|----|---|----|-----|--------|
| 4353S-060 | 6 | 1 | 0 | 430 | 91.68 |
| 4353S-080 | 8 | 1 | 10 | 430 | 114.98 |
| 4353S-100 | 10 | 1 | 52 | 430 | 126.83 |
| 4353S-120 | 12 | 1 | 52 | 430 | 152.47 |
| 4353S-140 | 14 | 1 | 52 | 430 | 194.04 |
| 4353S-160 | 16 | 1 | 50 | 430 | 220.60 |
| 4353S-180 | 18 | 1 | 50 | 430 | 273.36 |
| 4353S-200 | 20 | 1 | 50 | 430 | 374.72 |
| 4353S-240 | 24 | 1 | 0 | 430 | 403.38 |

See SMACNA Flange Specifications at the front of this catalog.

PVC WYE

Belled Socket



| | | | | | |
|----------|----|---|---|-----|---------|
| 4375-060 | 6 | 1 | 2 | 430 | 269.26 |
| 4375-080 | 8 | 1 | 0 | 430 | 324.63 |
| 4375-100 | 10 | 1 | 0 | 430 | 402.40 |
| 4375-120 | 12 | 1 | 0 | 430 | 536.22 |
| 4375-140 | 14 | 1 | 0 | 430 | 620.92 |
| 4375-160 | 16 | 1 | 0 | 430 | 1550.58 |
| 4375-180 | 18 | 1 | 0 | 430 | 2007.47 |
| 4375-200 | 20 | 1 | 0 | 430 | 2772.00 |
| 4375-240 | 24 | 1 | 0 | 430 | 3303.08 |

PVC REDUCING WYE

Belled Socket



| | | | | | |
|----------|------|---|---|-----|--------|
| 4375-532 | 6X4 | 1 | 2 | 430 | 262.41 |
| 4375-582 | 8X4 | 1 | 2 | 430 | 286.95 |
| 4375-585 | 8X6 | 1 | 0 | 430 | 301.05 |
| 4375-624 | 10X4 | 1 | 0 | 430 | 326.49 |

Fume & Air Duct PVC & CPVC Duct Fittings

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | Price Each |
|-------------------------------------|-------|--------|----------|-----------|------------|
| PVC REDUCING WYE (continued) | | | | | |
| Belled Socket | | | | | |
| 4375-626 | 10X6 | 1 | 0 | 430 | 350.00 |
| 4375-628 | 10X8 | 1 | 0 | 430 | 383.87 |
| 4375-664 | 12X4 | 1 | 0 | 430 | 357.27 |
| 4375-666 | 12X6 | 1 | 0 | 430 | 375.95 |
| 4375-668 | 12X8 | 1 | 0 | 430 | 426.53 |
| 4375-670 | 12X10 | 1 | 0 | 430 | 477.57 |
| 4375-694 | 14X4 | 1 | 0 | 430 | 417.56 |
| 4375-696 | 14X6 | 1 | 0 | 430 | 446.82 |
| 4375-698 | 14X8 | 1 | 0 | 430 | 478.85 |
| 4375-700 | 14X10 | 1 | 0 | 430 | 546.82 |
| 4375-702 | 14X12 | 1 | 0 | 430 | 613.18 |
| 4375-754 | 16X4 | 1 | 0 | 430 | 495.47 |
| 4375-756 | 16X6 | 1 | 0 | 430 | 530.00 |
| 4375-758 | 16X8 | 1 | 0 | 430 | 549.11 |
| 4375-760 | 16X10 | 1 | 0 | 430 | 580.81 |
| 4375-762 | 16X12 | 1 | 0 | 430 | 634.52 |
| 4375-764 | 16X14 | 1 | 0 | 430 | 721.45 |
| 4375-784 | 18X4 | 1 | 0 | 430 | 582.82 |
| 4375-786 | 18X6 | 1 | 0 | 430 | 607.93 |
| 4375-788 | 18X8 | 1 | 0 | 430 | 661.99 |
| 4375-790 | 18X10 | 1 | 0 | 430 | 694.73 |
| 4375-792 | 18X12 | 1 | 0 | 430 | 731.80 |
| 4375-794 | 18X14 | 1 | 0 | 430 | 831.25 |
| 4375-796 | 18X16 | 1 | 0 | 430 | 973.41 |
| 4375-814 | 20X4 | 1 | 0 | 430 | 656.27 |
| 4375-816 | 20X6 | 1 | 0 | 430 | 698.42 |
| 4375-818 | 20X8 | 1 | 0 | 430 | 741.72 |
| 4375-820 | 20X10 | 1 | 0 | 430 | 784.27 |
| 4375-822 | 20X12 | 1 | 0 | 430 | 833.02 |
| 4375-824 | 20X14 | 1 | 0 | 430 | 885.91 |
| 4375-826 | 20X16 | 1 | 0 | 430 | 1058.38 |
| 4375-828 | 20X18 | 1 | 0 | 430 | 1217.75 |
| 4375-904 | 24X4 | 1 | 0 | 430 | 788.36 |
| 4375-906 | 24X6 | 1 | 0 | 430 | 832.94 |
| 4375-908 | 24X8 | 1 | 0 | 430 | 911.36 |
| 4375-910 | 24X10 | 1 | 0 | 430 | 1006.84 |
| 4375-912 | 24X12 | 1 | 0 | 430 | 1072.54 |
| 4375-914 | 24X14 | 1 | 0 | 430 | 1174.48 |
| 4375-916 | 24X16 | 1 | 0 | 430 | 1224.60 |
| 4375-918 | 24X18 | 1 | 0 | 430 | 1389.19 |
| 4375-920 | 24X20 | 1 | 0 | 430 | 1570.23 |

CPVC TEE Belled Socket



| | | | | | |
|-----------|----|---|---|-----|---------|
| 4301-060C | 6 | 1 | 4 | 432 | 360.15 |
| 4301-080C | 8 | 1 | 0 | 432 | 478.45 |
| 4301-100C | 10 | 1 | 0 | 432 | 669.47 |
| 4301-120C | 12 | 1 | 0 | 432 | 809.41 |
| 4301-140C | 14 | 1 | 0 | 432 | 950.03 |
| 4301-160C | 16 | 1 | 0 | 432 | 1177.17 |
| 4301-180C | 18 | 1 | 0 | 432 | 1401.20 |
| 4301-200C | 20 | 1 | 0 | 432 | 1941.87 |
| 4301-240C | 24 | 1 | 0 | 432 | 2772.78 |

CPVC REDUCING TEE Belled Socket



| | | | | | |
|-----------|------|---|---|-----|--------|
| 4301-532C | 6X4 | 1 | 4 | 432 | 309.52 |
| 4301-582C | 8X4 | 1 | 2 | 432 | 356.71 |
| 4301-585C | 8X6 | 1 | 0 | 432 | 413.52 |
| 4301-624C | 10X4 | 1 | 2 | 432 | 446.33 |
| 4301-626C | 10X6 | 1 | 0 | 432 | 510.95 |
| 4301-628C | 10X8 | 1 | 0 | 432 | 560.99 |

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | Price Each |
|--------------------------------------|-------|--------|----------|-----------|------------|
| CPVC REDUCING TEE (continued) | | | | | |
| Belled Socket | | | | | |
| 4301-664C | 12X4 | 1 | 2 | 432 | 514.34 |
| 4301-666C | 12X6 | 1 | 0 | 432 | 549.19 |
| 4301-668C | 12X8 | 1 | 0 | 432 | 669.08 |
| 4301-670C | 12X10 | 1 | 0 | 432 | 784.43 |
| 4301-694C | 14X4 | 1 | 0 | 432 | 651.06 |
| 4301-696C | 14X6 | 1 | 0 | 432 | 685.04 |
| 4301-698C | 14X8 | 1 | 0 | 432 | 763.65 |
| 4301-700C | 14X10 | 1 | 0 | 432 | 887.67 |
| 4301-702C | 14X12 | 1 | 0 | 432 | 921.61 |
| 4301-754C | 16X4 | 1 | 0 | 432 | 716.19 |
| 4301-756C | 16X6 | 1 | 0 | 432 | 753.87 |
| 4301-758C | 16X8 | 1 | 0 | 432 | 837.64 |
| 4301-760C | 16X10 | 1 | 0 | 432 | 974.03 |
| 4301-762C | 16X12 | 1 | 0 | 432 | 1040.11 |
| 4301-764C | 16X14 | 1 | 0 | 432 | 1197.68 |
| 4301-784C | 18X4 | 1 | 0 | 432 | 905.43 |
| 4301-786C | 18X6 | 1 | 0 | 432 | 973.61 |
| 4301-788C | 18X8 | 1 | 0 | 432 | 1034.41 |
| 4301-790C | 18X10 | 1 | 0 | 432 | 1112.28 |
| 4301-792C | 18X12 | 1 | 0 | 432 | 1183.27 |
| 4301-794C | 18X14 | 1 | 0 | 432 | 1333.15 |
| 4301-796C | 18X16 | 1 | 0 | 432 | 1380.98 |
| 4301-814C | 20X4 | 1 | 0 | 432 | 1085.99 |
| 4301-816C | 20X6 | 1 | 0 | 432 | 1132.58 |
| 4301-818C | 20X8 | 1 | 0 | 432 | 1272.57 |
| 4301-820C | 20X10 | 1 | 0 | 432 | 1328.35 |
| 4301-822C | 20X12 | 1 | 0 | 432 | 1413.14 |
| 4301-824C | 20X14 | 1 | 0 | 432 | 1519.52 |
| 4301-826C | 20X16 | 1 | 0 | 432 | 1693.93 |
| 4301-828C | 20X18 | 1 | 0 | 432 | 1938.11 |
| 4301-904C | 24X4 | 1 | 0 | 432 | 1256.68 |
| 4301-906C | 24X6 | 1 | 0 | 432 | 1445.33 |
| 4301-908C | 24X8 | 1 | 0 | 432 | 1537.57 |
| 4301-910C | 24X10 | 1 | 0 | 432 | 1618.53 |
| 4301-912C | 24X12 | 1 | 0 | 432 | 1759.26 |
| 4301-914C | 24X14 | 1 | 0 | 432 | 1891.67 |
| 4301-916C | 24X16 | 1 | 0 | 432 | 2012.42 |
| 4301-918C | 24X18 | 1 | 0 | 432 | 2356.34 |
| 4301-920C | 24X20 | 1 | 0 | 432 | 2688.01 |

CPVC 90° ELBOW Belled Socket



General Purpose 2-piece Construction

| | | | | | |
|-----------|----|---|---|-----|---------|
| 4306-060C | 6 | 1 | 2 | 432 | 254.42 |
| 4306-080C | 8 | 1 | 2 | 432 | 341.00 |
| 4306-100C | 10 | 1 | 0 | 432 | 463.78 |
| 4306-120C | 12 | 1 | 0 | 432 | 554.60 |
| 4306-140C | 14 | 1 | 0 | 432 | 697.02 |
| 4306-160C | 16 | 1 | 0 | 432 | 854.78 |
| 4306-180C | 18 | 1 | 0 | 432 | 1076.97 |
| 4306-200C | 20 | 1 | 0 | 432 | 3166.31 |
| 4306-240C | 24 | 1 | 0 | 432 | 4355.90 |

CPVC 90° ELBOWS 5-Piece Belled Socket



SMACNA Compliant 5-Piece Construction

| | | | | | |
|------------|----|---|---|-----|---------|
| 43065-060C | 6 | 1 | 2 | 432 | 405.72 |
| 43065-080C | 8 | 1 | 0 | 432 | 591.20 |
| 43065-100C | 10 | 1 | 0 | 432 | 727.93 |
| 43065-120C | 12 | 1 | 0 | 432 | 1773.69 |
| 43065-140C | 14 | 1 | 0 | 432 | 1908.01 |
| 43065-160C | 16 | 1 | 0 | 432 | 2810.71 |

Fume & Air Duct PVC & CPVC Duct Fittings

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | Price Each |
|-------------|------|--------|----------|-----------|------------|
|-------------|------|--------|----------|-----------|------------|

CPVC 90° ELBOWS 5-Piece (continued)

Belled Socket

| | | | | | |
|------------|----|---|---|-----|---------|
| 43065-180C | 18 | 1 | 0 | 432 | 3469.44 |
| 43065-200C | 20 | 1 | 0 | 432 | 3914.52 |
| 43065-240C | 24 | 1 | 0 | 432 | 6107.87 |

CPVC 45° ELBOW

Belled Socket



General Purpose 1-piece Construction

| | | | | | |
|-----------|----|---|---|-----|---------|
| 4317-060C | 6 | 1 | 4 | 432 | 194.45 |
| 4317-080C | 8 | 1 | 6 | 432 | 260.16 |
| 4317-100C | 10 | 1 | 2 | 432 | 351.56 |
| 4317-120C | 12 | 1 | 2 | 432 | 425.17 |
| 4317-140C | 14 | 1 | 0 | 432 | 524.20 |
| 4317-160C | 16 | 1 | 0 | 432 | 603.62 |
| 4317-180C | 18 | 1 | 0 | 432 | 813.52 |
| 4317-200C | 20 | 1 | 0 | 432 | 1097.86 |
| 4317-240C | 24 | 1 | 0 | 432 | 1543.68 |

CPVC 45° ELBOW 3-Piece

Belled Socket



SMACNA Compliant 3-Piece Construction

| | | | | | |
|------------|----|---|---|-----|---------|
| 43173-060C | 6 | 1 | 0 | 432 | 261.41 |
| 43173-080C | 8 | 1 | 0 | 432 | 421.43 |
| 43173-100C | 10 | 1 | 0 | 432 | 739.92 |
| 43173-120C | 12 | 1 | 0 | 432 | 1022.26 |
| 43173-140C | 14 | 1 | 0 | 432 | 1076.86 |
| 43173-160C | 16 | 1 | 0 | 432 | 1551.86 |
| 43173-180C | 18 | 1 | 0 | 432 | 1641.59 |
| 43173-200C | 20 | 1 | 0 | 432 | 2112.76 |
| 43173-240C | 24 | 1 | 0 | 432 | 3109.99 |

CPVC BLAST GATE

Belled End



| | | | | | |
|-----------|----|---|---|-----|---------|
| 43BG-060C | 6 | 1 | 0 | 432 | 579.59 |
| 43BG-080C | 8 | 1 | 2 | 432 | 710.85 |
| 43BG-100C | 10 | 1 | 0 | 432 | 877.18 |
| 43BG-120C | 12 | 1 | 0 | 432 | 1003.48 |
| 43BG-140C | 14 | 1 | 2 | 432 | 1255.25 |
| 43BG-160C | 16 | 1 | 0 | 432 | 1481.27 |
| 43BG-180C | 18 | 1 | 0 | 432 | 1881.20 |
| 43BG-200C | 20 | 1 | 0 | 432 | 2276.20 |
| 43BG-240C | 24 | 1 | 0 | 432 | 3072.85 |

CPVC BUTTERFLY DAMPER

Belled Socket



| | | | | | |
|-----------|----|---|---|-----|---------|
| 43BD-060C | 6 | 1 | 2 | 432 | 398.73 |
| 43BD-080C | 8 | 1 | 4 | 432 | 435.55 |
| 43BD-100C | 10 | 1 | 0 | 432 | 562.32 |
| 43BD-120C | 12 | 1 | 4 | 432 | 682.36 |
| 43BD-140C | 14 | 1 | 0 | 432 | 817.14 |
| 43BD-160C | 16 | 1 | 0 | 432 | 949.45 |
| 43BD-180C | 18 | 1 | 0 | 432 | 1212.74 |
| 43BD-200C | 20 | 1 | 0 | 432 | 1467.73 |
| 43BD-240C | 24 | 1 | 0 | 432 | 1990.68 |

CPVC CROSS

Belled Socket



| | | | | | |
|-----------|----|---|---|-----|---------|
| 4320-060C | 6 | 1 | 0 | 432 | 713.06 |
| 4320-080C | 8 | 1 | 0 | 432 | 947.33 |
| 4320-100C | 10 | 1 | 0 | 432 | 1325.55 |

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | Price Each |
|-------------|------|--------|----------|-----------|------------|
|-------------|------|--------|----------|-----------|------------|

CPVC CROSS (continued)

Belled Socket

| | | | | | |
|-----------|----|---|---|-----|---------|
| 4320-120C | 12 | 1 | 0 | 432 | 1602.64 |
| 4320-140C | 14 | 1 | 0 | 432 | 1881.06 |
| 4320-160C | 16 | 1 | 0 | 432 | 2330.81 |
| 4320-180C | 18 | 1 | 0 | 432 | 2774.37 |
| 4320-200C | 20 | 1 | 0 | 432 | 3844.93 |
| 4320-240C | 24 | 1 | 0 | 432 | 5490.07 |

CPVC REDUCING CROSS

Belled Socket



| | | | | | |
|-----------|-------|---|---|-----|---------|
| 4320-532C | 6X4 | 1 | 3 | 432 | 631.96 |
| 4320-582C | 8X4 | 1 | 0 | 432 | 783.74 |
| 4320-585C | 8X6 | 1 | 0 | 432 | 827.03 |
| 4320-624C | 10X4 | 1 | 0 | 432 | 883.72 |
| 4320-626C | 10X6 | 1 | 0 | 432 | 1011.69 |
| 4320-628C | 10X8 | 1 | 0 | 432 | 1110.74 |
| 4320-664C | 12X4 | 1 | 0 | 432 | 1018.40 |
| 4320-666C | 12X6 | 1 | 0 | 432 | 1087.40 |
| 4320-668C | 12X8 | 1 | 0 | 432 | 1324.80 |
| 4320-670C | 12X10 | 1 | 0 | 432 | 1553.17 |
| 4320-694C | 14X4 | 1 | 0 | 432 | 1289.11 |
| 4320-696C | 14X6 | 1 | 0 | 432 | 1356.42 |
| 4320-698C | 14X8 | 1 | 0 | 432 | 1512.03 |
| 4320-700C | 14X10 | 1 | 0 | 432 | 1757.59 |
| 4320-702C | 14X12 | 1 | 0 | 432 | 1824.79 |
| 4320-754C | 16X4 | 1 | 0 | 432 | 1418.04 |
| 4320-756C | 16X6 | 1 | 0 | 432 | 1492.68 |
| 4320-758C | 16X8 | 1 | 0 | 432 | 1658.56 |
| 4320-760C | 16X10 | 1 | 0 | 432 | 1928.57 |
| 4320-762C | 16X12 | 1 | 0 | 432 | 2059.37 |
| 4320-764C | 16X14 | 1 | 0 | 432 | 2371.42 |
| 4320-784C | 18X4 | 1 | 0 | 432 | 1792.80 |
| 4320-786C | 18X6 | 1 | 0 | 432 | 1927.72 |
| 4320-788C | 18X8 | 1 | 0 | 432 | 2048.15 |
| 4320-790C | 18X10 | 1 | 0 | 432 | 2202.31 |
| 4320-792C | 18X12 | 1 | 0 | 432 | 2342.88 |
| 4320-794C | 18X14 | 1 | 0 | 432 | 2639.63 |
| 4320-796C | 18X16 | 1 | 0 | 432 | 2734.35 |
| 4320-814C | 20X4 | 1 | 0 | 432 | 2150.27 |
| 4320-816C | 20X6 | 1 | 0 | 432 | 2242.52 |
| 4320-818C | 20X8 | 1 | 0 | 432 | 2519.69 |
| 4320-820C | 20X10 | 1 | 0 | 432 | 2630.14 |
| 4320-822C | 20X12 | 1 | 0 | 432 | 2798.02 |
| 4320-824C | 20X14 | 1 | 0 | 432 | 3008.60 |
| 4320-826C | 20X16 | 1 | 0 | 432 | 3354.00 |
| 4320-828C | 20X18 | 1 | 0 | 432 | 3837.44 |
| 4320-904C | 24X4 | 1 | 0 | 432 | 2488.23 |
| 4320-906C | 24X6 | 1 | 0 | 432 | 2861.77 |
| 4320-908C | 24X8 | 1 | 0 | 432 | 3044.40 |
| 4320-910C | 24X10 | 1 | 0 | 432 | 3204.63 |
| 4320-912C | 24X12 | 1 | 0 | 432 | 3483.33 |
| 4320-914C | 24X14 | 1 | 0 | 432 | 3745.48 |
| 4320-916C | 24X16 | 1 | 0 | 432 | 3984.57 |
| 4320-918C | 24X18 | 1 | 0 | 432 | 4665.54 |
| 4320-920C | 24X20 | 1 | 0 | 432 | 5322.25 |

CPVC COUPLING

Belled Socket



| | | | | | |
|-----------|----|---|---|-----|--------|
| 4329-060C | 6 | 1 | 4 | 432 | 89.34 |
| 4329-080C | 8 | 1 | 8 | 432 | 113.92 |
| 4329-100C | 10 | 1 | 2 | 432 | 150.05 |
| 4329-120C | 12 | 1 | 3 | 432 | 167.13 |
| 4329-140C | 14 | 1 | 2 | 432 | 206.78 |

Fume & Air Duct PVC & CPVC Duct Fittings

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | Price Each |
|----------------------------------|------|--------|----------|-----------|------------|
| CPVC COUPLING (continued) | | | | | |
| Belled Socket | | | | | |
| 4329-160C | 16 | 1 | 0 | 432 | 225.63 |
| 4329-180C | 18 | 1 | 0 | 432 | 282.06 |
| 4329-200C | 20 | 1 | 0 | 432 | 354.61 |
| 4329-240C | 24 | 1 | 2 | 432 | 436.20 |

CPVC REDUCER COUPLING Belled Socket

| | | | | | |
|-----------|-------|---|---|-----|---------|
| 4329-532C | 6X4 | 1 | 4 | 432 | 174.40 |
| 4329-582C | 8X4 | 1 | 8 | 432 | 429.45 |
| 4329-585C | 8X6 | 1 | 8 | 432 | 168.94 |
| 4329-624C | 10X4 | 1 | 2 | 432 | 591.59 |
| 4329-626C | 10X6 | 1 | 2 | 432 | 438.02 |
| 4329-628C | 10X8 | 1 | 4 | 432 | 224.09 |
| 4329-664C | 12X4 | 1 | 2 | 432 | 836.02 |
| 4329-666C | 12X6 | 1 | 2 | 432 | 662.23 |
| 4329-668C | 12X8 | 1 | 2 | 432 | 575.65 |
| 4329-670C | 12X10 | 1 | 0 | 432 | 306.56 |
| 4329-694C | 14X4 | 1 | 0 | 432 | 1073.81 |
| 4329-696C | 14X6 | 1 | 0 | 432 | 859.06 |
| 4329-698C | 14X8 | 1 | 0 | 432 | 730.22 |
| 4329-700C | 14X10 | 1 | 0 | 432 | 748.28 |
| 4329-702C | 14X12 | 1 | 0 | 432 | 419.64 |
| 4329-754C | 16X4 | 1 | 0 | 432 | 1398.69 |
| 4329-756C | 16X6 | 1 | 0 | 432 | 1113.62 |
| 4329-758C | 16X8 | 1 | 0 | 432 | 943.75 |
| 4329-760C | 16X10 | 1 | 0 | 432 | 896.24 |
| 4329-762C | 16X12 | 1 | 0 | 432 | 872.14 |
| 4329-764C | 16X14 | 1 | 0 | 432 | 539.16 |
| 4329-784C | 18X4 | 1 | 0 | 432 | 1691.65 |
| 4329-786C | 18X6 | 1 | 0 | 432 | 1358.77 |
| 4329-788C | 18X8 | 1 | 0 | 432 | 1151.48 |
| 4329-790C | 18X10 | 1 | 0 | 432 | 1090.41 |
| 4329-792C | 18X12 | 1 | 0 | 432 | 1050.51 |
| 4329-794C | 18X14 | 1 | 0 | 432 | 1021.39 |
| 4329-796C | 18X16 | 1 | 0 | 432 | 633.68 |
| 4329-814C | 20X4 | 1 | 0 | 432 | 2205.26 |
| 4329-816C | 20X6 | 1 | 0 | 432 | 1778.45 |
| 4329-818C | 20X8 | 1 | 0 | 432 | 1515.09 |
| 4329-820C | 20X10 | 1 | 0 | 432 | 1429.32 |
| 4329-822C | 20X12 | 1 | 0 | 432 | 1370.56 |
| 4329-824C | 20X14 | 1 | 0 | 432 | 1293.01 |
| 4329-826C | 20X16 | 1 | 0 | 432 | 1269.95 |
| 4329-828C | 20X18 | 1 | 0 | 432 | 925.63 |
| 4329-904C | 24X4 | 1 | 0 | 432 | 2833.35 |
| 4329-906C | 24X6 | 1 | 0 | 432 | 2282.32 |
| 4329-908C | 24X8 | 1 | 0 | 432 | 1968.77 |
| 4329-910C | 24X10 | 1 | 0 | 432 | 1841.96 |
| 4329-912C | 24X12 | 1 | 0 | 432 | 1772.81 |
| 4329-914C | 24X14 | 1 | 0 | 432 | 1672.46 |
| 4329-916C | 24X16 | 1 | 0 | 432 | 2282.67 |
| 4329-918C | 24X18 | 1 | 0 | 432 | 1481.63 |
| 4329-920C | 24X20 | 1 | 0 | 432 | 1469.36 |

CPVC SLEEVE COUPLING Socket (No Stop)

| | | | | | |
|------------|----|---|---|-----|--------|
| 4329S-060C | 6 | 1 | 5 | 433 | 95.66 |
| 4329S-080C | 8 | 1 | 6 | 433 | 122.84 |
| 4329S-100C | 10 | 1 | 0 | 433 | 161.93 |
| 4329S-120C | 12 | 1 | 3 | 433 | 180.45 |
| 4329S-140C | 14 | 1 | 2 | 433 | 223.28 |
| 4329S-160C | 16 | 1 | 0 | 433 | 243.82 |
| 4329S-180C | 18 | 1 | 2 | 433 | 304.73 |

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | Price Each |
|-----------------------------------------|------|--------|----------|-----------|------------|
| CPVC SLEEVE COUPLING (continued) | | | | | |
| Socket (No Stop) | | | | | |
| 4329S-200C | 20 | 1 | 2 | 433 | 383.84 |
| 4329S-240C | 24 | 1 | 2 | 433 | 471.27 |

CPVC FLAT CAP Belled Socket

| | | | | | |
|-----------|----|---|---|-----|--------|
| 4347-060C | 6 | 1 | 6 | 432 | 164.84 |
| 4347-080C | 8 | 1 | 5 | 432 | 196.39 |
| 4347-100C | 10 | 1 | 4 | 432 | 228.97 |
| 4347-120C | 12 | 1 | 5 | 432 | 261.46 |
| 4347-140C | 14 | 1 | 4 | 432 | 294.17 |
| 4347-160C | 16 | 1 | 2 | 432 | 338.01 |
| 4347-180C | 18 | 1 | 5 | 432 | 426.78 |
| 4347-200C | 20 | 1 | 5 | 432 | 612.77 |
| 4347-240C | 24 | 1 | 5 | 432 | 653.85 |

CPVC RAIN CAP Belled Socket Style A

| | | | | | |
|------------|----|---|---|-----|---------|
| 4347-060AC | 6 | 1 | 2 | 432 | 778.84 |
| 4347-080AC | 8 | 1 | 0 | 432 | 1065.66 |
| 4347-100AC | 10 | 1 | 0 | 432 | 1238.94 |
| 4347-120AC | 12 | 1 | 0 | 432 | 1498.81 |
| 4347-140AC | 14 | 1 | 0 | 432 | 2022.99 |
| 4347-160AC | 16 | 1 | 0 | 432 | 2308.48 |
| 4347-180AC | 18 | 1 | 0 | 432 | 2660.46 |
| 4347-200AC | 20 | 1 | 0 | 432 | 3884.20 |
| 4347-240AC | 24 | 1 | 0 | 432 | 4582.34 |

CPVC RAIN CAP Belled Socket Style B

| | | | | | |
|------------|----|---|---|-----|---------|
| 4347-060BC | 6 | 1 | 0 | 432 | 697.25 |
| 4347-080BC | 8 | 1 | 0 | 432 | 1033.97 |
| 4347-100BC | 10 | 1 | 0 | 432 | 1253.53 |
| 4347-120BC | 12 | 1 | 0 | 432 | 1506.33 |
| 4347-140BC | 14 | 1 | 0 | 432 | 2030.46 |
| 4347-160BC | 16 | 1 | 0 | 432 | 2312.04 |
| 4347-180BC | 18 | 1 | 0 | 432 | 2834.09 |
| 4347-200BC | 20 | 1 | 0 | 432 | 4168.22 |
| 4347-240BC | 24 | 1 | 0 | 432 | 4539.20 |

CPVC DUCT FLANGE Belled Socket One Piece

| SMACNA Bolt Pattern | | | | | |
|---------------------|----|---|---|-----|--------|
| 4351S-060C | 6 | 1 | 4 | 432 | 203.36 |
| 4351S-080C | 8 | 1 | 2 | 432 | 235.38 |
| 4351S-100C | 10 | 1 | 4 | 432 | 290.58 |
| 4351S-120C | 12 | 1 | 2 | 432 | 309.06 |
| 4351S-140C | 14 | 1 | 0 | 432 | 358.39 |
| 4351S-160C | 16 | 1 | 4 | 432 | 417.05 |
| 4351S-180C | 18 | 1 | 0 | 432 | 557.87 |
| 4351S-200C | 20 | 1 | 0 | 432 | 677.37 |
| 4351S-240C | 24 | 1 | 0 | 432 | 954.24 |

See SMACNA Flange Specifications at the end of this catalog.
Also available in ANSI Class 150 Bolt Pattern.

CPVC BLIND DUCT FLANGE One Piece

| Class 150 Bolt Pattern | | | | | |
|------------------------|---|---|----|-----|--------|
| 4353-060C | 6 | 1 | 36 | 432 | 204.69 |
| 4353-080C | 8 | 1 | 36 | 432 | 235.20 |

Fume & Air Duct PVC & CPVC Duct Fittings

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | Price Each |
|-------------------------------------------|------|--------|----------|-----------|------------|
| CPVC BLIND DUCT FLANGE (continued) | | | | | |
| <i>One Piece</i> | | | | | |
| 4353-100C | 10 | 1 | 18 | 432 | 283.69 |
| 4353-120C | 12 | 1 | 4 | 432 | 311.93 |
| 4353-140C | 14 | 1 | 6 | 432 | 370.51 |
| 4353-160C | 16 | 1 | 0 | 432 | 407.99 |
| 4353-180C | 18 | 1 | 0 | 432 | 580.07 |
| 4353-200C | 20 | 1 | 14 | 432 | 718.74 |
| 4353-240C | 24 | 1 | 0 | 432 | 958.88 |

CPVC BLIND DUCT FLANGE

One Piece



SMACNA Bolt Pattern

| | | | | | |
|------------|----|---|----|-----|---------|
| 4353S-060C | 6 | 1 | 52 | 432 | 217.77 |
| 4353S-080C | 8 | 1 | 52 | 432 | 250.21 |
| 4353S-100C | 10 | 1 | 52 | 432 | 301.80 |
| 4353S-120C | 12 | 1 | 52 | 432 | 331.82 |
| 4353S-140C | 14 | 1 | 52 | 432 | 394.17 |
| 4353S-160C | 16 | 1 | 50 | 432 | 438.43 |
| 4353S-180C | 18 | 1 | 50 | 432 | 617.13 |
| 4353S-200C | 20 | 1 | 50 | 432 | 764.60 |
| 4353S-240C | 24 | 1 | 57 | 432 | 1019.46 |

See SMACNA Flange Specifications at the end of this catalog.

CPVC WYE

Belled Socket



| | | | | | |
|-----------|----|---|---|-----|---------|
| 4375-060C | 6 | 1 | 2 | 432 | 401.52 |
| 4375-080C | 8 | 1 | 0 | 432 | 530.89 |
| 4375-100C | 10 | 1 | 0 | 432 | 800.27 |
| 4375-120C | 12 | 1 | 0 | 432 | 1014.26 |
| 4375-140C | 14 | 1 | 0 | 432 | 2667.16 |
| 4375-160C | 16 | 1 | 0 | 432 | 4382.06 |
| 4375-180C | 18 | 1 | 0 | 432 | 5221.37 |
| 4375-200C | 20 | 1 | 0 | 432 | 7571.46 |
| 4375-240C | 24 | 1 | 0 | 432 | 9881.69 |

CPVC REDUCING WYE

Belled Socket



| | | | | | |
|-----------|-------|---|---|-----|---------|
| 4375-532C | 6X4 | 1 | 2 | 432 | 405.54 |
| 4375-582C | 8X4 | 1 | 2 | 432 | 490.65 |
| 4375-585C | 8X6 | 1 | 0 | 432 | 494.04 |
| 4375-624C | 10X4 | 1 | 0 | 432 | 586.49 |
| 4375-626C | 10X6 | 1 | 0 | 432 | 598.46 |
| 4375-628C | 10X8 | 1 | 0 | 432 | 710.47 |
| 4375-664C | 12X4 | 1 | 0 | 432 | 670.74 |
| 4375-666C | 12X6 | 1 | 0 | 432 | 690.45 |
| 4375-668C | 12X8 | 1 | 0 | 432 | 806.37 |
| 4375-670C | 12X10 | 1 | 0 | 432 | 1368.73 |
| 4375-694C | 14X4 | 1 | 0 | 432 | 736.63 |
| 4375-696C | 14X6 | 1 | 0 | 432 | 746.25 |
| 4375-698C | 14X8 | 1 | 0 | 432 | 910.05 |
| 4375-700C | 14X10 | 1 | 0 | 432 | 1060.51 |
| 4375-702C | 14X12 | 1 | 0 | 432 | 2224.74 |
| 4375-754C | 16X4 | 1 | 0 | 432 | 779.34 |
| 4375-756C | 16X6 | 1 | 0 | 432 | 784.55 |
| 4375-758C | 16X8 | 1 | 0 | 432 | 956.75 |
| 4375-760C | 16X10 | 1 | 0 | 432 | 1139.04 |
| 4375-762C | 16X12 | 1 | 0 | 432 | 1257.05 |
| 4375-764C | 16X14 | 1 | 0 | 432 | 1378.12 |
| 4375-784C | 18X4 | 1 | 0 | 432 | 844.53 |
| 4375-786C | 18X6 | 1 | 0 | 432 | 856.66 |
| 4375-788C | 18X8 | 1 | 0 | 432 | 1007.84 |
| 4375-790C | 18X10 | 1 | 0 | 432 | 1244.24 |

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | Price Each |
|--------------------------------------|-------|--------|----------|-----------|------------|
| CPVC REDUCING WYE (continued) | | | | | |
| <i>Belled Socket</i> | | | | | |
| 4375-792C | 18X12 | 1 | 0 | 432 | 1382.71 |
| 4375-794C | 18X14 | 1 | 0 | 432 | 1657.34 |
| 4375-796C | 18X16 | 1 | 0 | 432 | 1872.68 |
| 4375-814C | 20X4 | 1 | 0 | 432 | 1543.13 |
| 4375-816C | 20X6 | 1 | 0 | 432 | 1612.85 |
| 4375-818C | 20X8 | 1 | 0 | 432 | 1749.76 |
| 4375-820C | 20X10 | 1 | 0 | 432 | 1818.47 |
| 4375-822C | 20X12 | 1 | 0 | 432 | 2271.45 |
| 4375-824C | 20X14 | 1 | 0 | 432 | 2354.17 |
| 4375-826C | 20X16 | 1 | 0 | 432 | 2542.56 |
| 4375-828C | 20X18 | 1 | 0 | 432 | 2731.40 |
| 4375-904C | 24X4 | 1 | 0 | 432 | 1733.51 |
| 4375-906C | 24X6 | 1 | 0 | 432 | 1832.82 |
| 4375-908C | 24X8 | 1 | 0 | 432 | 2102.01 |
| 4375-910C | 24X10 | 1 | 0 | 432 | 2385.38 |
| 4375-912C | 24X12 | 1 | 0 | 432 | 2566.85 |
| 4375-914C | 24X14 | 1 | 0 | 432 | 2693.75 |
| 4375-916C | 24X16 | 1 | 0 | 432 | 2827.23 |
| 4375-918C | 24X18 | 1 | 0 | 432 | 3150.64 |
| 4375-920C | 24X20 | 1 | 0 | 432 | 3513.84 |